

IOT FACE MASK DETECTION & BODYTEMPERATURE SCANNER FOR COVID

D. Srinivas¹, G. Ratna Satya Sudha², S. Sridhar³, S. Gayathri Mahalakshmi⁴, B. Suresh⁵

¹Assistant Professor, ^{2,3,4,5} UG Students, Department of Electrical and Electronics Engineering, VSM college of Engineering, Ramachandrapuram, Andhra Pradesh, India

Abstarct

COVID 19 pandemic is causing a global health epidemic. The most powerful safety tool is wearing a face mask in public places and everywhere else. The COVID 19 outbreak forced governments around the world to implement lockdowns to deter virus transmission. According to survey reports, wearing a face mask at public places reduces the risk of transmission significantly. The proposed model can be used for any shopping mall, hotel, apartment entrance, etc. As an outcome a cost-effective and reliable method of using sensors to build a healthy environment. Evaluation of the proposed framework is done by the Face Mask Detection algorithm using the HAAR CASCADE library. Besides, the body temperature of the individual is monitored using a noncontact temperature sensor. This proposed system can detect the users from COVID 19 by enabling the Internet of Things (IoT) technology.

Keywords: Arduino UNO, Temperature Sensor, I2C LED Display

I. INTRODUCTION


The coronavirus disease, or COVID-19, which originated primarily in Wuhan, China, has rapidly spread to several countries, including India, the world's second-most populous country with a population of more than 134 billion people. With such a large population, India would have trouble preventing the spread of the coronavirus. Face masks and sanitizers are the most effective ways to minimize transmission. When it comes to reducing disease transmission, this has shown good results. Fever, sore throat, tiredness, loss of taste and smell, and nasal congestion are all common symptoms of coronavirus infection. The majority of the time, it is transmitted indirectly through surfaces. The incubation period can be very long, ranging from 10 to 14 days in extreme cases, and the virus can attack directly (from one individual to other individuals) by respiratory droplets. Governments implemented a variety of protection and safety initiatives to reduce disease transmission, including social distancing, mandatory indoor mask-wearing, quarantine, restricting citizens' traveling within state boundaries and abroad, self-isolation, and the exclusion and cancellation of big social occasions and meetings. From work activities to social relationships, all kinds of sports activities, as well as off-screen and on-screen entertainment have all been affected due to this COVID-19 pandemic. Individuals with high body

temperature are not to be permitted to enter public places because they are at a high risk of infection and spreading the virus; wearing a mask is essential. At the entrances to any city, workplaces, malls, and hospital gates, temperature and mask checks are also necessary. As a result, a smart entry device that automatically monitors human body temperature and detects a mask at the door opening system is developed. An advanced idea is used in this system approach, which is a combination of all three including temperature detection, total people count, and mask detection.

II. LITERATURE SURVEY

The importance of body temperature assessment in clinic diagnosis and therapies cannot be overstated. There are some drawbacks, including low measurement accuracy and a long measurement period. Traditional artificial measurement methods make it difficult to track patient body temperature in a timely manner automatically and accurately. To address the above problem, they presented a distributed monitor system that is used for measuring body temperature. Multi-temperature sensors, such as the DS18B20, were attached and are used to capture a person's body temperature signal, after which the SCM AT89C52 processed the signal. The role of data-driven mobile

International Conference on Trends in Engineering & Technology- 2023 (ICRTET)
Organised by: VSM College of Engineering, Ramachandrapuram



BUZZER:

The buzzer is a sounding device that can convert audio signals into sound signals. It is usually powered by DC voltage. It is widely used in alarms, computers, printers and other electronic products as sound devices. It is mainly divided into piezoelectric buzzer and electromagnetic buzzer, represented by the letter "H" or "HA" in the circuit.

According to different designs and uses, the buzzer can emit various sounds such as music, siren, buzzer, alarm, and electric bell.




Fig: BUZZER

TEMPERATURE SENSOR:

Contact less infrared temperature sensor measures the surface temperature of an object depending on the emitted IR waves of the target without touching it and also measures the average temperature over an area. It is a contact less, high precision, high resolution and a fast response sensor. It works with 3.3v/5v MCU system directly.

It is based on the optical analysis of the infrared radiation emitted by the measurement object. This radiation is focused through a lens onto a detector which translates it into an electrical signal. This can then be converted to an output size proportional to the object temperature by means of signal processing




Fig: TEMPERATURE SENSOR

ADVANTAGES:

- Fully Automatic detection.
- Easy to Manage.
- They're safe and truly contactless.
- Decreases Spread Of COVID.
- They help enforce facemask policies.

APPLICATIONS:

- AIRPORT Entry.
- RAILWAY Entry.
- OFFICE Entry.
- Educational Institutions and Malls.
- Manufacturing Units Entry

VII. EXPERIMENTAL RESULTS

The IOT based face mask detection & body temperature scanning for COVID using Python software is done.



Fig: Without face mask



Fig: Body temperature values




Fig: With face mask

VIII. CONCLUSION

The main purpose of the developed system is to avoid the spread of COVID-19 in public places such as shopping malls, offices, and so on. The system can monitor an individual's body temperature and can perform face mask detection. The count of the people inside the room will be shown when the facemask detector model is loaded. When an individual passes through the IR sensor, it will proceed to the next level only if the people count inside the room is less than the defined limit. Then the temperature sensor detects their body temperature, and if it is less than the set limit, the Pi cam activates and checks if they are wearing a mask. The door automatically opens if the mask is detected and the count goes up by one; otherwise, the person is not allowed and the count stays the same. Similarly, if another person passes through the IR sensor, it tests their body temperature; if they meet all of the requirements, the count increases by one, and they will be allowed. The count increases until the maximum limit is reached; once the maximum limit is reached, the door will not open.

IX. FUTURE SCOPE

New developments and the availability of smart technologies force to the creation of new models, which will help meet the needs of developing countries. In this work, an IoT-enabled smart door is developed to monitor body temperature and detect face masks that can enhance public safety. This will help to reduce manpower while also providing an extra layer of protection against the spread of Covid-19 infection. The model uses a real-

International Conference on Trends in Engineering & Technology- 2023 (ICRTET)
Organised by: VSM College of Engineering, Ramachandrapuram

time deep learning system using Raspberry pi to detect face masks, and temperature detection as well as monitor the count of people present at any given time. The device performs excellently when it comes to temperature measurement and mask detection, the trained model was able to achieve a result of 97 percent. The test results demonstrate a high level of accuracy in detecting people wearing and not wearing facemasks, as well as it also generates alarms monitored and recorded. Furthermore, there are numerous techniques to enhance performance to improve results. Future development will include improving the accuracy of these steps, using a combination of various features, and improving performance, as well as producing a mobile app with a user-friendly interface for monitoring.

X. REFERENCES

1. Rosebrock, "COVID-19: Face Mask Detector with OpenCV, Keras/TensorFlow, and Deep Learning", May 4, 2020,
2. Hidayat, Subono, V.A. Wardhany, A.S. Nugroho, S. Hakim, M. Jhoswanda, "Designing IoT-Based Independent Pulse Oximetry Kit as an Early Detection Tool for Covid-19 Symptoms", 2020 3rd International Conference on Computer and Informatics Engineering (IC2IE).
3. Carlo Alberto Boano Matteo Lasagni Kay Romer Tanja Lange. "Accurate Temperature Measurements for Medical Research using Body Sensor Networks".
4. Cristina S.....-C....., B-PBUTUNOI and Calin C....., "IoT Based Intelligent Building Applications in the Context of COVID-19 Pandemic", 2020, 10.1109/ISSETC50328.2020.9301124
5. Yahaya F.H., Yusoff Y.M., Abidin H.Z., Rahman R.A. *IEEE International Conference on Information Management and Engineering*. 2010. Development of a PIC- based wireless Sensor node utilizing XBEE Technology. [[Google Scholar](#)]
6. Deora Gayatri. *IEEE Conference on Advances in Signal Processing*. 2016. Ramakrishna Godhula and Dr. Vishwas Udpikar "Study of Masked Face Detection Approach in Video Analytics. [[Google Scholar](#)]
7. K Baskaran, Baskaran P., N. Kumaratharan, Rajaram V., "IoT Based COVID Preventive System for Work Environment", the Fourth International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (I-SMAC) IEEE Xplore Part Number: CFP2005V-ART; ISBN: 978-1-7281-5464-0.
8. Lim, M.G., & Chuah, J.H. (2018). Durian Types Recognition Using Deep Learning Techniques. 2018 9th IEEE Control and System Graduate Research Colloquium (ICSGRC). doi:10.1109/icsgrc.2018.8657535.
9. L. Tang and H. Kiourmars, "Wireless Network for Health Monitoring Heart Rate and Temperature Sensor", 10.1109/ICSensT.2011.6137000.
10. Meenpal T., Balakrishnan A., Verma A. *2019 4th International Conference on Computing, Communications and Security (ICCCS)* 2019. Facial Mask Detection using Semantic Segmentation. [[CrossRef](#)] [[Google Scholar](#)]
11. Mrudula Ana.nya Pa.ndey, Dinesh Kruthi.ka, Reethika P. Smart Door Unlocking System. *Int. Res. J. Eng. Technol. (IRJET)* 2020; Volume: 07 Issue: 05 May. [[Google Scholar](#)]
12. Ozkaya N., Sagiroglu S. *IEEE International Joint Conference on Neural Networks*. 2008. Intelligent face Mask Prediction System. [[Google Scholar](#)]