

# PXE Boot Server Using AIO Boot Creator (*Pre Boot Execution*)

**Author 1:** Omkar Somnath Satpute

**Author 2:** Yogesh Kailas Khandode

**Author 3:** Tejas Prashant More

**Author 4:**

Mr. V. A. Sonawane HOD Matoshri Aasarabai Polytechnic Nashik

\*\*\*

## Abstract:

A PXE (Preboot Execution Environment) boot server is a network protocol that allows a computer to boot and install an operating system over a network. It is a powerful tool that simplifies the installation process and reduces the risk of errors and inconsistencies, particularly in large organizations where multiple computers need to be provisioned with the same operating system and software. To set up a PXE boot server, a DHCP server and a TFTP server are required. Once the server is configured, the client computers need to be set up to boot from the network. A PXE boot server can save time, reduce costs, and improve the overall efficiency of the IT infrastructure.

**Key Words:** PXE boot server, network protocol, installation process, operating system, DHCP server, TFTP server, client computers, IT infrastructure, large organizations.

## 1. INTRODUCTION

PXE (Preboot Execution Environment) is a network protocol that allows a computer to boot and install an operating system over a network. A PXE boot server is a server that stores the necessary files and software for PXE booting. In a PXE boot environment, the client computer sends a broadcast message to the network requesting a boot image. The PXE boot server responds to the request by sending the necessary files to the client, including the boot loader, operating system, and configuration files. The client then boots up and installs the operating system over the network. A PXE boot server can be useful in many situations, such as in large organizations where a large number of computers need to be provisioned with the same operating system and applications. It can also be useful in cases where a computer does not have a CD/DVD drive or the installation media is not available.

### 1.1 Background

PXE was designed for use in large-scale corporate environments to simplify the process of deploying new computers with standardized system images. PXE booting allowed administrators to configure a single image for deployment across the entire organization, ensuring that each computer was set up consistently and efficiently.

Over time, PXE has become a widely-used standard for network booting in various environments, including data centers, academic institutions, and government agencies. PXE booting is commonly used to boot a variety of operating systems, including Windows, Linux, and macOS, as well as diagnostic and recovery tools.

The use of PXE boot servers has become increasingly popular due to their ability to streamline the installation process, reduce costs, and minimize the risk of errors during deployment. As a result, many organizations now utilize PXE boot servers as a standard part of their IT infrastructure.

## 2. Development

The development of PXE boot server technology began in the late 1990s when Intel Corporation designed the Preboot Execution Environment (PXE) protocol. The primary goal was to provide a standardized method for booting computers over a network, enabling remote installation of operating systems and other software.

PXE booting was initially designed for large corporations that required a reliable, scalable way to deploy new systems. In the early days, PXE booting was accomplished through complex and often proprietary solutions that were expensive to implement and maintain.

As technology has advanced, so too has the range of applications for PXE boot servers. Today, PXE boot servers are used in a wide range of settings, from data centers and academic institutions to government agencies and small businesses. They provide a powerful tool for administrators to streamline the installation process, reduce costs, and ensure consistency across large numbers of systems.

Overall, the development of PXE boot server technology has transformed the process of installing and deploying operating systems, making it faster, easier, and more efficient than ever before.

## 3. Methodology

- Install and configure a DHCP server: The DHCP server assigns IP addresses to the computers on the network. Configure the DHCP server to assign the IP address of the PXE boot server as


the default gateway and provide the address of the boot server as the next-server address.

- Install and configure a TFTP server: The TFTP server is used to transfer files between the PXE boot server and the client computers. Install a TFTP server on the PXE boot server and configure it to listen on the appropriate network interface.
- Install and configure a web server: The web server is used to host the boot images and other files required for PXE booting. Install a web server on the PXE boot server and configure it to host the required files.
- Create the boot images: The boot images are the files that the client computers will download and execute during the PXE boot process. Create the boot images using a tool such as Syslinux or GRUB.
- Configure the PXE boot server: Configure the PXE boot server to point to the location of the boot images on the web server. You may also need to configure other settings such as the boot menu.
- Test the PXE boot server: Test the PXE boot server by booting a client computer over the network. Ensure that the client computer is able to download and execute the boot image correctly.
- By following this methodology, you can set up a PXE boot server that allows you to boot multiple computers over the network.


successfully boot over the network. There are several ways to test a PXE boot server, including:


1. Verify network connectivity: The first step in testing a PXE boot server is to ensure that the client computer can communicate with the server over the network. This can be done by pinging the server from the client computer.
2. Verify DHCP configuration: The PXE boot process requires a DHCP server to assign IP addresses to client systems. It's important to ensure that the DHCP server is configured correctly and is providing the necessary IP addresses to the client computers.
3. Verify TFTP server configuration: The TFTP server is responsible for providing the necessary files to client computers during the PXE boot process. It's important to ensure that the TFTP server is configured correctly and is serving the necessary files to the client computers.
4. Test the PXE boot process: Once the DHCP and TFTP servers are configured correctly, the PXE boot process can be tested by booting a client computer over the network. During the boot process, the client computer should connect to the PXE boot server and load the necessary files to initiate the installation process.
5. Verify the installation process: After the client computer has successfully booted over the network and initiated the installation process, it's important to ensure that the operating system and any necessary software is installed correctly.

#### 4. TESTING



Testing a PXE boot server is an essential step to ensure that it is functioning correctly and that client systems can





The use case diagram shown in Figure has five actors. First actor is the high level manager. He (He/She) can login into the system and can add The use case of a PXE server is typically in environments where there are a large number of client computers that require standardized software and operating system installations. The following are some examples of use cases for a PXE server:

**Large Enterprises:** In large enterprises, where hundreds or thousands of computers need to be set up and maintained, PXE servers provide an efficient way to install software and operating systems quickly and consistently.

**Data Centers:** Data centers often require standardized server installations to be deployed quickly and efficiently. PXE servers enable administrators to set up and maintain server installations with minimal effort.

**Academic Institutions:** In academic institutions, where there are many computer labs with identical software configurations, PXE servers simplify the process of deploying and maintaining these labs.



### 6. Limitations Of PXE Boot Server

- Network dependency: PXE booting requires a network connection and a functioning DHCP server to work. If the network connection is slow or unreliable, the boot process may be slower or may fail altogether.
- Limited hardware support: Not all network cards support PXE booting. This can be a problem if you are trying to boot older hardware or hardware that does not support PXE booting.
- Security risks: Since PXE booting allows a computer to boot over the network, it can be used by attackers to execute malicious code or install malware on the target computer. To mitigate these risks, it is important to secure the network and the PXE boot server.
- Lack of customization: PXE booting typically uses a standard boot image that may not be customizable for specific use cases. This can limit the ability to configure the boot process for specific needs.
- Limited boot options: While PXE booting can be used to boot a variety of operating systems, the boot options are typically limited to a few options provided by the PXE boot server. This can be a problem if you need to boot a specific operating system or custom boot image.

### 5. USE CASE

