

SADAN VASAN TECHNOLOGY

TALL SAIL APPLICATION ON VESSEL TO REDUCE THE FUEL CONSUMPTION AND ECO-FRIENDLY EMISSION CONTROL

Sabari Vasam V¹, Sadankumar M², Mariappan A C³, Peter Packiaraj G⁴

^{1,2}Final Year B.E Marine Cadets, PSNCET, Tirunelveli, Tamil Nadu

^{3,4}Assistant Professor Department of Marine Engineering PSNCET, Tirunelveli Tamil Nadu

ABSTRACT

The maritime industry is exploring innovative solutions to address environmental challenges and reduce the carbon footprint of global shipping. One promising development is the integration of modern tall sails into cargo ships. These sails engineered from advanced materials and equipped with sophisticated automation systems, leverage wind power to complement traditional propulsion methods. The concept of modern tall sails on cargo ships is part of a broader movement towards sustainable and eco-friendly maritime transport. This innovation, often referred to as *wind-assisted propulsion or sail-assisted shipping, integrates large, high-tech sails or other wind-capturing devices onto modern cargo vessels. The primary goal is to harness wind energy to reduce the ship's reliance on fossil fuels, thereby lowering carbon.

Keywords: Wind assisted propulsion, Eco friendly marine solution

CHAPTER-I

1-INTRODUCTION

These modern tall sails, often constructed from lightweight, durable materials and equipped with automated control systems, harness the power of the wind to supplement the ship's engine power.

This hybrid approach not only reduces fuel consumption but also significantly cuts down on greenhouse gas emissions, making shipping more sustainable. As the global economy continues to demand efficient and eco-friendly logistics, the reimagining of sail technology represents a pivotal step forward in the pursuit of greener seas.

2- COMPONENTS NEEDED:

2.1 SAIL STRUCTURE

Wing Sails : Shaped like an airplane wing, they generate lift when wind passes over them, creating forward thrust that helps move the ship.

Flettner Rotors : These are spinning cylinders that create lift through the Magnus effect, a phenomenon where a spinning object moving through air generates a force perpendicular to the direction of the wind.

Kites : These are flown high above the ship, where winds are stronger, and pull the ship forward using the tension in the kite line

2.2 Automated Rigging and Control Systems:

Actuators and Motors: Used to adjust the position and angle of the sails automatically, optimizing their performance based on wind direction and speed.

Sensors: Wind sensors, GPS, and gyroscopes provide real-time data to the control system for optimal sail adjustment.

Control Software: Advanced algorithms manage sail deployment, trimming, and stowing, integrating with the ship's navigation and propulsion systems.

2.3 Energy Management and Integration:

Power Supply: For Flettner rotors and automated systems, a power supply is needed, often integrated with the ship's existing electrical systems.

3.Working Of Modern Tall Sails In Cargo Ship

Modern tall sails, also known as "wing sails" or "rotor sails," are part of a new approach to reducing fuel consumption and carbon emissions in cargo ships by harnessing wind power. These sails are quite different from traditional sails used on old sailing ships.

3.1 Wing Sails

Design : Wing sails are rigid, aerodynamic structures that resemble airplane wings mounted vertically on the ship's deck. They can be adjusted to capture wind more efficiently.

Operation : These sails pivot or tilt to optimize their angle to the wind, allowing them to generate lift, much

like an airplane wing. This lift creates a force that helps propel the ship forward, reducing the load on the ship's engines.

Automation : The sails are often automated, using sensors and computers to adjust their position in real-time for maximum efficiency. This automation reduces the need for manual operation.

3.2 Rotor Sails (Flettner Rotors)

Design : Rotor sails are tall, cylindrical structures that spin on their vertical axis. These structures use the Magnus effect, where a spinning object moving through air generates a lift perpendicular to the direction of the wind.

Operation : As the rotor spins, wind passing over it creates a pressure difference, generating forward thrust. This thrust assists the ship's engines, reducing the amount of fuel needed.

Efficiency Rotor : sails can be particularly effective in strong crosswinds, where they can produce significant propulsion with minimal energy input to keep the rotor spinning.

3.3 Integration with Conventional Propulsion :

Hybrid Power : Modern tall sails are usually part of a hybrid system, where wind power supplements conventional engine power. This setup reduces fuel consumption and emissions, particularly on long ocean voyages where wind conditions are favourable.

Fuel Savings: Depending on wind conditions and the ship's route, these systems can lead to fuel savings of 10-30%, which is significant given the high fuel costs and environmental impact of large cargo ships.

4.Environmental Impact:

Carbon Reduction : By reducing reliance on fossil fuels, these systems help in lowering carbon dioxide (CO₂) and other greenhouse gas emissions from shipping, which is a major contributor to global emissions.

Regulatory Compliance : The use of modern sail technology helps ships meet increasingly stringent international environmental regulations.

In summary, modern tall sails on cargo ships are an innovative solution to enhance fuel efficiency and reduce environmental impact by effectively utilizing wind energy as a complementary power source.



Fig: 1 Model of Tall Sails in Vessels

5. Maintenance

Sails : The sails, typically made from durable, high-tech materials like Dacron or laminated composites, require regular inspection for wear and tear. This includes checking for rips, chafing, or UV damage. Sails might need to be repaired or replaced depending on their condition.

Rigging: The rigging, which includes ropes, fig wires, and pulleys, must be inspected regularly for signs of corrosion, fraying, or stretching. Standing rigging (permanent) and running rigging (movable) both require periodic tension adjustments and lubrication.

Masts and Spar : Masts and spars, which support the sails, must be checked for structural integrity. This includes inspecting for cracks, corrosion, and ensuring that all fittings are secure.

5.1 Mechanical Systems

Winches and Blocks : Modern sail cargo ships use motorized winches and blocks to handle sails. These systems require regular lubrication, inspection for mechanical wear, and testing to ensure they can handle the loads required.

Hydraulic and Electric Systems : Sail control systems, which may include hydraulics or electric motors, need regular maintenance to ensure they are operating correctly. This includes checking for leaks, ensuring proper electrical connections, and replacing worn components.

5.2 Environmental and Safety Systems

Emissions Control : While the ship is sail-assisted, it will still have engines for auxiliary power. Emission control systems, such as scrubbers or selective catalytic reduction (SCR) systems, require regular maintenance to comply with environmental regulations.

Safety Gear : Lifesaving equipment, fire suppression systems, and other safety gear must be maintained

according to maritime regulations, ensuring they are in good working order at all times.

5.3 Routine Inspections and Certifications

Regular Inspections : Routine inspections are mandatory to ensure all systems, including sails, rigging, mechanical, and safety equipment, are functioning correctly.

Certifications : Ships must comply with international maritime regulations, requiring periodic certification from relevant authorities. Maintenance records are crucial for these certifications.

6. Difference Between With & With Out Modern Tall Sails in Cargo Ship

	With tall sails	Without tall sails
Fuel Efficiency	More	Less
Emissions	Less	More
Speed	Comparatively Low	Comparatively More
Operational costs	Less operational costs and less initial costs	More fuel consumption




Fig:2 Graph For Reducing Carbon Emission

7.Regulatory and Environmental Impact

Compliance with IMO Regulations: The International Maritime Organization (IMO) is pushing for lower emissions, and wind-assisted propulsion helps meet

these targets by reducing fuel consumption and CO2 emissions.

Carbon Footprint Reduction: By relying partially on renewable wind energy, sail-assisted cargo vessels can significantly reduce greenhouse gas emissions, which aligns with global sustainability goals.

8.Design and Integration

Ship Design Modifications: Cargo ships must be designed or retrofitted to accommodate sail systems, including space on the deck for mast rigging, or kite systems. Structural reinforcements may be needed to handle the forces from the sails.

Automated Controls: Modern tall sail systems rely on automation to deploy, adjust, and retract sails based on wind conditions. Sensors and computer systems manage sail adjustments in real-time.

Hybrid Propulsion: Sail systems typically complement existing engines, allowing the ship to switch between or combine wind power and traditional fuel-based propulsion depending on conditions.

9.Operational Considerations

Wind Patterns and Routes: Wind-assisted ships benefit most on long oceanic routes with predictable wind patterns. Operators must consider how wind variability will affect shipping schedules.

Fuel Savings: Depending on the wind conditions and the type of sail system, fuel savings can range from 5% to over 20%, contributing to both economic and environmental benefits.

Crew Training: Crews must be trained to understand the technology and operate the sail systems, especially if manual interventions are needed.

Examples of Wind-Assisted Cargo Vessels

Wind Challenger Project: A project in Japan using rigid sails on cargo ships to reduce fuel consumption.

Oceanbird: A Swedish initiative developing a cargo ship powered primarily by tall rigid sails.

Michelin's WISAMO: Michelin's inflatable wing sail technology is designed to retrofit existing vessels to reduce fuel consumption.

MV Afros by Anemoi Marine Technologies

Description: The MV Afros is a bulk carrier equipped with four large rotor sails, known as Flettner rotors. These cylindrical sails spin to generate thrust using the

