AI-Based Posture Correction Systems in Fitness: A Literature Review

DEEPAK E V

Msc. Computer Science St.Thomas College (Autonomous) Thrissur ,680001 ,Kerala, India

---***---

***Abstract**- This literature review comprehensively analyzes recent advancements in AI-based posture correction systems for fitness and gym environments. The primary objective is to evaluate how artificial intelligence, particularly computer vision and pose estimation techniques, are revolutionizing personalized workout experiences. Key themes explored include the utilization of frameworks like OpenCV, MediaPipe, and YOLOv7-pose for real-time keypoint detection and joint angle calculation. The review highlights the crucial role of immediate, actionable feedback mechanisms—both visual and auditory—in enhancing exercise form, preventing injuries, and improving workout efficiency for users of all skill levels. Furthermore, it discusses system architecture, evaluation metrics, and challenges such as accuracy, latency, and adaptability. The synthesis demonstrates that these AI-driven solutions offer a scalable and accessible alternative to traditional human trainers, with significant potential for future integration with wearable devices, AR/VR platforms, and specialized rehabilitation applications.*

Key Words: Artificial Intelligence, Posture Correction, Computer Vision, Pose Estimation, OpenCV, MediaPipe, YOLOv7-pose, Real-time Feedback, Joint Angle Detection, Exercise Form Analysis, Injury Prevention, Fitness Technology, AI in Gym, Visual Feedback, Auditory Feedback, System Architecture, Latency, Accuracy, Adaptive Systems, Wearable Integration, AR/VR Fitness, Rehabilitation Systems.

1.INTRODUCTION

The integration of artificial intelligence (AI) and computer vision in the fitness domain has garnered substantial attention, fundamentally transforming and enhancing workout experiences. Traditional fitness environments typically rely on human trainers for personalized feedback on exercise form and posture. However, the emergence of AIdriven solutions, particularly in pose estimation, presents an innovative alternative for real-time workout monitoring and correction. This technological shift is especially significant given the challenges individuals face, such as limited access to gyms, physical disabilities, social anxiety, or financial burdens associated with personal trainers. Maintaining correct posture during physical activity is paramount not only for maximizing workout benefits but also for reducing the risk of injuries like back pain or muscle strain. AI-powered systems can fill the void of personalized guidance, offering immediate, data-driven insights to improve user technique and ensure safer, more efficient training. This review aims to provide a comprehensive analysis of the current academic landscape concerning AI-based posture correction in fitness and gym environments. It will delineate the core concepts, categorize prevalent thematic applications, compare diverse methodologies, and identify prospective research avenues. The subsequent sections will detail the evolution and definitions of key concepts, classify existing research into thematic categories, and critically assess the underlying algorithms and hardware integrations.

2. LITERATURE SURVEY

A. Evolution & Definitions The evolution of AI-driven fitness tracking systems marks a significant departure from traditional gym environments, which predominantly relied on human trainers for form correction and feedback. The burgeoning integration of artificial intelligence (AI) and computer vision has catalyzed the development of innovative solutions for personalizing and enhancing workout experiences. This progression has been supported by advancements in neural networks, including Convolutional Neural Networks (CNNs) and Recurrent Neural Networks (RNNs), and the introduction of multi-modal datasets specifically for workout activities. Researchershavealsofocusedonoptimizingalgorithms and developing lightweight models to improve the efficiency of human poseestimation techniques. Foundational concepts central to these systems include:

- **Pose Estimation:** This is the process of identifying and tracking key points of the human body, such as joints and limbs, typically in real-time. Systems can detect either 17 key points, as seen in YOLOv7 and OpenPose, or 33 key points, as offered by MediaPipe.

- **Keypoint Detection:** This refers to the application of computer vision techniques to precisely identify these specific anatomical points on the body.

- **Joint Tracking and Angle Calculation:** Following keypoint detection, systems monitor joint movements and calculate angles between various body parts during exercises. These calculated angles are then compared against predefined ideal exercise models or thresholds to detect misalignments or errors in form.

- **Real-time Feedback:** A critical component, this involves providing immediate corrective guidance to the user. This feedback can be visual, such as on-screen cues, or auditory, utilizing text-to-speech APIs.

• **Workout Monitoring:** The system analyzes live video feeds or pre-recorded sessions to detect postural deviations and subsequently guides the user to correct them.

• **Computer Vision:** This broad field of AI enables machines to process, analyze, and understand visual information from the real world, forming the backbone of these posture correction systems.

• **AI Fitness Tracking:** This encompasses the comprehensive application of AI-powered tools designed to enhance and optimize an individual's fitness journey, promoting better form, preventing injuries, and improving workout efficiency.

B. Thematic Categories :The reviewed papers focus on computer vision and AI for real-time posture correction and exercise tracking in fitness. Key themes include:

●**Comprehensive AI Gym Trainer Systems:** Papers by Suryawanshi et al. , Kaushik M et al. , and Bhamidipati et al. detail AI gym trainers using pose estimation for real-time feedback, error identification, and progress tracking, often with OpenCV and MediaPipe. They emphasize features like dynamic angle thresholds and robustness to varying conditions.

• **Real-time Posture Correction and Performance Analysis:** Kotte et al. propose a system using YOLOv7-pose for keypoint identification and topology-oriented tracking, focusing on immediate feedback, performance analysis, and error classification based on configurable joint angle ranges.

• **Core Technology and Frameworks:** All studies utilize prominent computer vision frameworks. OpenCV and MediaPipe are widely used for image processing and highfidelity real-time pose estimation, with MediaPipe detecting up to 33 key points. Comparative analysis by Bhamidipati et al. indicates MediaPipe's superior accuracy, FPS, and occlusion handling compared to YOLOv7, OpenPose, PoseNet, and MoveNet. Kotte et al. use YOLOv7-pose and leverage transfer learning.

• **Core Technology and Frameworks:** All studies utilize prominent computer vision frameworks. OpenCV and MediaPipe are widely used for image processing and high-fidelity real-time pose estimation, with MediaPipe detecting up to 33 key points. Comparative analysis by Bhamidipati et al. indicates MediaPipe's superior accuracy, FPS, and occlusion handling compared to YOLOv7, OpenPose, PoseNet, and MoveNet. Kotte et al. use YOLOv7-pose and leverage transfer learning.

• **Core Technology and Frameworks:** All four papers critically rely on or discuss prominent computer vision frameworks. Suryawanshi et al. and Kaushik M et al. extensively use OpenCV for image processing and MediaPipe for high-fidelity real-time pose estimation. MediaPipe's pre-trained pose estimation model detects up to 33 key points, facilitating detailed understanding of user posture.

• Bhamidipati et al. provide a comparative analysis, asserting that MediaPipe outperforms YOLOv7, OpenPose, PoseNet, and MoveNet in terms of keypoint detection (33 vs. 17), frames per second (FPS) on both CPU and GPU, and handling occlusions for single-object detection.

• Kotte et al., conversely, leverage the YOLOv7pose model for keypoint detection, demonstrating its application in tracking body movements during exercises. Their work also highlights the use of transfer learning to avoid extensive model retraining.

C. Methodologies: The methodologies employed across these studies predominantly center on computer vision and deep learning techniques for pose estimation and real-time feedback. Common to all approaches is the integration 6 video capture, landmark detection, joint angle calculation, and a feedback mechanism.

• Suryawanshi et al. (from **Gym Tracker System Using AI-Driven Pose Estimation and Real-Time Exercise Correction**) describe a system primarily built on OpenCV and MediaPipe. Their methodology involves:

• **Data Acquisition:** Capturing live or prerecorded workout videos via OpenCV.

• **Pose Detection:** Utilizing MediaPipe's pretrained pose estimation model to detect 33 key points on the human body.

• **Keypoint Tracking and Angle Calculation:** Monitoring joint movements and calculating angles between body parts.

• **Ideal Pose Model Definition:** Establishing ideal joint angles and keypoint positions for various exercises (e.g., squats, push-ups, weightlifting).

• **Error Detection:** Comparing the user's posture to the ideal model and flagging deviations beyond a predefined threshold.

• **Real-time Feedback:** Generating visual cues on screen via OpenCV and optionally audio feedback through text-to-speech APIs.

• **Evaluation Metrics:** The system's performance was assessed using pose accuracy, feedback accuracy, and real-time performance, with usability tests and mparative analysis against existing apps. Results were visualized using Confusion Matrices and ROC curves for specific errors in bicep curls, planks, squats, and lunges, indicating effective error identification.

• Kaushik M et al. (from **AI-Based Posture Correction, Real-Time Exercise Tracking and Feedback using Pose**

Estimation Technique) also propose an AI gym tracker app based on MediaPipe and OpenCV, with an emphasis on precise feedback. Their methodology includes:

• **Real-time Input and Processing:** OpenCV is used for video capture, feeding frames to MediaPipe for accurate pose estimation and joint tracking.

• **Landmark Detection:** MediaPipe identifies 33 human body landmarks.

• **Joint Angle and Distance Calculation:** NumPy is leveraged for mathematical operations to determine angles between joints and distances between different joints, crucial for form correction.

• **Form Validation:** The calculated angles and distances are compared against dynamic thresholds predefined for each exercise.

• **Feedback Mechanism:** Real-time feedback, including specific suggestions for improvement, is projected onto the screen.

• **Core Exercises:** The application calculates angles for curls, squats, pushups, and planks, which serve as a base for a wider range of exercises. The approach also includes a repetition counter.

• Kotte et al. (from **Real-Time Posture Correction in Gym Exercises: A Computer Vision-Based Approach for Performance Analysis, Error Classification and Feedback**) present a computer vision-based approach using a distinct model for pose estimation.

• **Pose Detection:** They employ the YOLOv7pose model to identify 17 human keypoints. •**Human Topology-Oriented Tracking:** This procedure, combined with YOLOv7, tracks movements.

• **Joint Angle Calculation:** A specific formula is utilized to calculate joint angles between three key points.

• **Performance Analysis and Error Classification:** Ideal joint angle ranges are defined (configurable as hyperparameters), and participant angles are tracked and compared to a "ground-truth pose" for correctness assessment.

• **Feedback Provision:** Immediate feedback is delivered to rectify posture, with user studies indicating a preference for visible skeleton overlays highlighting specific incorrect body parts. Audio feedback is a planned future enhancement.

• **Model Optimization:** The research capitalizes on transfer learning techniques to avoid extensive model retraining.

• **Evaluation:** The method was benchmarked against professional fitness videos and evaluated with inexperienced participants, showing positive reactions.

• Bhamidipati et al. (from **Robust Intelligent Posture Estimation for an AI Gym Trainer using Mediapipe and OpenCV**) focus on a Robust Intelligent Posture Estimation system.

• **Core Frameworks:** Similar to the first two papers, they integrate MediaPipe for detecting 33 human body landmarks and OpenCV for image/video processing and angle calculation. NumPy is also used for trigonometric computations.

• **Pipeline:** The system captures video, passes it through MediaPipe for landmark detection, then uses OpenCV to calculate angles, providing real-time feedback and corrective measures.

• **Use Case:** Demonstrated specifically with a bicep curl counter, where angle thresholds define "up" and "down" positions for repetition tracking.

• **Comparative Analysis:** A significant part of their methodology involves comparingMediaPipe's erformance against other prominent frameworks like YOLOv7, OpenPose, PoseNet, and MoveNet. They conclude that MediaPipe offers superior accuracy and higher Frames Per Second (FPS) on both CPU and GPU for single object detection, along with better occlusion handling and a higher keypoint count (33 vs. 17). The system achieved an "average visibility (accuracy) of 90%" for landmark detection.

3. CRITICAL ANALYSIS

The four papers collectively explore the development of AI-driven gym tracker systems leveraging computer vision techniques for real-time posture estimation and exercise correction. While sharing a common goal, they exhibit differences in their core framework design choices, specific data inputs, reported performance metrics, and approaches to usability, alongside overlapping themes and identified gaps.

A. Framework Design Differences

• Three papers, "Gym Tracker System Using AI-Driven Pose Estimation and Real-Time Exercise Correction", "AI-Based Posture Correction, Real-Time Exercise Tracking and Feedback using Pose Estimation Technique", and "Robust Intelligent Posture Estimation for an AI Gym Trainer using Mediapipe and OpenCV", primarily build their systems on OpenCV and MediaPipe. MediaPipe is chosen for its high-fidelity, real-time pose estimation and its ability to detect 33 key points on the human body. OpenCV supports image processing and video capture. "AI-Based Posture Correction, Real-Time Exercise Tracking and Feedback using Pose Estimation Technique" further emphasizes a unique method using dynamic angle thresholds and joint distance computations, supported by NumPy for mathematical operations. "Robust Intelligent Posture Estimation for an AI Gym Trainer using Mediapipe and OpenCV" specifically highlights MediaPipe's robustness to occlusions and background clutter.

• In contrast, "Real-Time Posture Correction in Gym Exercises: A Computer Vision-Based Approach for Performance Analysis, Error Classification and Feedback" utilizes the
YOLOv7-pose model for keypoint identification and a human topology-oriented tracking procedure, employing a 17-keypoint pose topology. This paper also leverages transfer learning techniques to avoid extensive model retraining.

B. System Accuracy and Performance Metrics

• "Gym Tracker System Using AI-Driven Pose Estimation and Real-Time Exercise Correction" evaluates accuracy through confusion matrices and ROC curves for specific exercises like bicep curls, planks, squats, and lunges, demonstrating high numbers of correct classifications and minimal misclassifications. It also provides a detailed performance summary table showing metrics like accuracy (e.g., 83.33% for push-ups and squats), precision, recall (e.g., 100% for pushups and squats), and F1-score for various exercises.

• "AI-Based Posture Correction, Real-Time Exercise Tracking and Feedback using Pose Estimation Technique" broadly states "exceptional performance, showcasing precise detection of joints and accurate angle measurement" and affirms the system's "effectiveness and precision". While it highlights effective identification and correction of errors in hand curls and squats visually, it does not provide specific numerical accuracy percentages or frames per second (FPS) benchmarks in the provided excerpts.

• "Real-Time Posture Correction in Gym Exercises: A Computer Vision-Based Approach for Performance Analysis, Error Classification and Feedback" reports "promising" initial results and "positive reaction from the participants" during evaluation against professional fitness videos and five inexperienced participants. It illustrates performance tracking through angle variations over time but, similar to the above, lacks explicit numerical performance benchmarks like accuracy percentages or FPS.

• "Robust Intelligent Posture Estimation for an AI Gym Trainer using Mediapipe and OpenCV" offers a direct comparative analysis of MediaPipe against other models. It claims MediaPipe yields "more accurate" results than YOLOv7 in single object detection and boasts significantly higher frame rates: ~30 FPS on CPU vs. YOLOv7's ~10 FPS, and ~80 FPS on GPU vs. YOLOv7's ~10 FPS. It also states MediaPipe is better designed for handling tracking in overlapping cases compared to OpenPose, and while PoseNet/MoveNet can reach ~50 FPS, MediaPipe can achieve ~70 FPS on a GPU with more key points. The system achieved an "average accuracy
(visibility) of 90%" for landmark detection.

C. Data Inputs

• All systems primarily use video feeds, either live (webcam) or pre-recorded.

• "Gym Tracker System Using AI-Driven Pose Estimation and Real-Time Exercise
Correction" and "Robust Intelligent Posture Estimation for an AI Gym Trainer using Mediapipe and OpenCV" mention collecting diverse workout videos from different users and variations in lighting, camera angles, and postures to ensure robustness.

• "Real-Time Posture Correction in Gym Exercises: A Computer Vision-Based Approach for Performance Analysis, Error Classification and Feedback" highlights benchmarking against "live expert demonstrations or recorded video content" and "professional fitness videos", although its GUI prototype's live webcam integration is "still in development".

D. Usability

• All papers emphasize accessibility and user benefit. "Gym Tracker System Using AI-Driven Pose Estimation and Real-Time Exercise
Correction" aims for effectiveness for "users of all skill levels" and conducted user testing to evaluate feedback relevance.

• "AI-Based Posture Correction, Real-Time Exercise Tracking and Feedback using Pose Estimation Technique" targets individuals exercising at home, those with disabilities, or social anxiety, offering personalized suggestions.

• "Real-Time Posture Correction in Gym Exercises: A Computer Vision-Based Approach for Performance Analysis, Error Classification and Feedback" notes a "positive reaction from the participants" and a user-centric GUI design, with users preferring visible skeleton overlays and highlighting of specific incorrect body parts. Future plans include audio feedback.

• "Robust Intelligent Posture Estimation for an AI Gym Trainer using Mediapipe and OpenCV" provides real-time feedback and suggests corrective measures.

E. **Overlapping Research Themes** The core overlapping theme is the application of AI and computer vision for real-time posture estimation and exercise correction to enhance workout experiences and prevent injuries. All systems aim to provide immediate feedback, often through visual and/or auditory cues. The concept of joint angle calculation from detected key points is fundamental across all approaches. Repetition counting is also a shared application. The ultimate goal across papers is to personalize fitness training and make it more accessible, particularly for home workouts, mimicking the role of a personal trainer.

F. Contradictions and Gaps

• **Core Pose Estimation Model:** A notable contradiction lies in the choice of the primary pose estimation model. While three papers converge on MediaPipe for its purported accuracy and 33 key points, "Real-Time Posture Correction in Gym Exercises: A Computer Vision-Based Approach for Performance Analysis, Error Classification and Feedback" uses YOLOv7-pose (17 key points). "Robust Intelligent Posture Estimation for an AI Gym Trainer using Mediapipe and OpenCV" explicitly states MediaPipe's superiority over YOLOv7 in terms of accuracy for single object detection, keypoint count, and FPS.

• **3D Pose Estimation:** "Robust Intelligent Posture Estimation for an AI Gym Trainer using Mediapipe and OpenCV" mentions its pipeline estimates 3D pose and uses MPJPE for 3D pose accuracy. The other papers predominantly discuss 2D pose estimation, though "Gym Tracker System Using AI-Driven Pose Estimation and Real-Time Exercise Correction" mentions "3D convolutional neural networks" as future work. This indicates a gap in consistently pursuing 3D accuracy.

• **Real-time Webcam Integration:** "RealTime Posture Correction in Gym Exercises: A Computer Vision-Based Approach for
Performance Analysis, Error Classification and Feedback" states that live webcam integration is "still in development" for its GUI, while the other papers present real-time processing from live feeds as a core and implemented functionality.

• **Dynamic Thresholds:** Only "AI-Based Posture Correction, Real-Time Exercise Tracking and Feedback using Pose Estimation Technique" explicitly details the use of "dynamic angle thresholds and joint distance computations", suggesting a more nuanced approach to error detection compared to implied fixed thresholds in other systems.

G. Inter-Paper Citations or Shared Tools While all papers extensively use or refer to OpenCV and/or MediaPipe (or YOLOv7 in one case), a review of the provided excerpts and their reference lists does not reveal any explicit direct citations between these four specific papers. This suggests they represent independent research efforts, potentially published concurrently or in different venues, without direct acknowledgment of each other within these provided texts. NumPy is also a shared tool mentioned for mathematical operations.

H. What Remains Underexplored in the Domain

• **Advanced Exercise Diversity and Complexity:** Most systems are optimized for basic exercises like squats and bicep curls. Expanding support for more dynamic or compound movements (e.g., deadlifts, burpees) and sports-specific training remains a significant area for futurework.
• **Personalization beyond Basic Adaptation:** Truly adapting to a user's unique body type, fitness level, and individual biomechanics for tailored corrective instructions is still developing.
• **Multimodal Feedback Systems:** While visual and audio cues are used, incorporating haptic feedback through wearable devices for more immediate and intuitive physical cues is a promising but underexplored avenue.

• **Holistic Data Integration:** Combining pose estimation with data from wearable fitness trackers (e.g., heart rate, caloric burn, muscle activation) for a more comprehensive understanding of a workout is largely unexplored.

• **EnhancedReal-timePerformance with Edge Computing:** Further reducing latency for high-intensity workouts by leveraging edge computing or more efficient algorithms is a continuous challenge.

• **Augmented and VirtualRealityIntegration:**
Revolutionizing the workout experience through AR overlays of correct poses or VR simulated gym environments is mentioned as future potential but not deeply explored.
• **Gamification and Social Features:** While recognized for increasing user engagement, the detailed implementation and impact of gamification elements and social features are still emerging.

• **Applications in Physical Therapy and Rehabilitation:** The significant potential of these systems for assisting individuals recovering from injuries is noted as a future application but is outside the primary focus of these papers.

• **Model Generalization and Robustness:** Addressing intra-class variability in movement patterns and inter-class similarity, as well as maintaining accuracy across diverse and uncontrolled environments (lighting, occlusions) for broader real-world applicability, is an ongoing challenge.

• **Long-term Progress Tracking and Interpretation:** While progress tracking is mentioned, in-depth analysis of long-term workout data to provide actionable insights and adapt training plans remains a detailed area for development.

4. APPLICATIONS & CASE STUDIES

The sources discuss several real-world implementation examples of AI gym tracker systems, primarily focusing on personalized workout guidance, form correction, and progress tracking.

A. AI-Powered Gym Tracker System (as proposed in "Gym Tracker System Using AIDriven Pose Estimation and Real-Time Exercise Correction")

• **Function:** Monitors user movements during workouts, identifies common posture errors, provides immediate real-time feedback to enhance form and prevent injury. It also tracks progress over time by storing and analyzing workout data. This system mimics the role of a personal trainer, making high-quality, individualized fitness training more accessible without in-person supervision. ●**Technologies Used:** AI-driven pose estimation, OpenCV (for image processing and visual feedback) and MediaPipe (for highfidelity real-time pose estimation and key point detection).

• **Performance Benchmarks:** Demonstrated effectiveness in detecting "lean back" errors in bicep curls, various errors in planks, stages of basic squats, and "knee-over-toe" errors in lunges through high numbers of correct classifications in confusion matrices and strong ROC curves. Specific accuracy percentages are provided for various exercises: Push-up (Accuracy 83.33%, Recall 100%), Pull-up (Accuracy 71.83%), Squat (Accuracy 83.33%, Recall 100%), Walk (Accuracy 85.45%), and Sit-up (Accuracy 67.7%). While real-time performance is a metric, specific FPS or latency figures are not explicitly stated.

●**Potential Deployments:** Scalable for integration into mobile applications, smart mirrors, or Virtual fitness platforms.

B. AI-Powered Gym Tracker App (as proposed in "AI-Based Posture Correction, Real-Time Exercise Tracking and Feedback using Pose Estimation Technique")

• **Function:** Provides real-time pose estimation and joint angle calculation using a

webcam feed, offering feedback on exercise form and an expanded rep count. It employs dynamic angle thresholds and joint distance computations to give precise feedback on user posture, providing personalized suggestions like adjusting hand position for curls or maintaining hip posture for planks.

• **Technologies Used:** OpenCV (for video capture), MediaPipe (for real-time pose estimation and detecting 33 key points), and NumPy (for joint angle calculations).

• **Performance Benchmarks:** Visual parameters show "exceptional performance, showcasing precise detection of joints and accurate angle measurement". The system accurately captures and analyzes hand angles for curl exercises and scrutinizes leg position for squats, prompting corrective actions when deviations occur. The "combined results affirm the effectiveness and precision". Specific numerical performance benchmarks like accuracy percentages or FPS are not detailed in the provided excerpts.

• **Potential Deployments:** Designed as an AI gym tracker app, with future work considering incorporation into various fitness apps.

C. Computer Vision-Based Fitness Tutoring System (as proposed in "Real-Time Posture Correction in Gym Exercises: A Computer Vision-Based Approach for Performance Analysis, Error Classification and Feedback")

• **Function:** Monitors performance and provides real-time feedback on posture during fitness exercises for instant self-correction and motivation. It analyzes live expert demonstrations or recorded video content, identifies potentially dangerous practices, automates tasks like counting repetitions, and can introduce gamification. It focuses on identifying mistakes and generating helpful feedback for learners.

• **Technologies Used:** Computer vision methods, YOLOv7-pose model (for human keypoint detection), and a human topologyoriented tracking procedure. It also utilizes transfer learning techniques.

• **Performance Benchmarks:** Benchmarked against professional fitness videos. Initial results were "promising," showing "potential usefulness and attractiveness". The GUI prototype demonstrates a performance progress bar and a repetition counter. A user study indicated a "positive reaction from the participants". No explicit numerical accuracy or FPS values for the system are presented, though YOLO is generally known for its realtime capabilities.

• **Potential Deployments:** An "innovative fitness tutoring system" with an evolving Graphical User Interface (GUI).

D. Robust Intelligent Posture Estimation for an AI Gym Trainer (as proposed in "Robust Intelligent Posture Estimation for an AI Gym Trainer using Mediapipe and OpenCV")

• **Function:** Provides accurate and robust posture estimation, real-time feedback, and suggests reparative measures to users. It also includes a repetition counter, demonstrated for bicep curls. Aims to help fitness enthusiasts improve their form and technique while reducing injury risk.

• **Technologies Used:** MediaPipe (for human body landmark detection, up to 33 key points), and OpenCV (for calculating angles between landmarks and image/video processing). The system's pipeline is based on MediaPipe's human pose estimation.

• **Performance Benchmarks:** The system can "accurately estimate the posture of the user in different lighting conditions and is robust to occlusions and background clutter". It operates in real-time, with MediaPipe achieving ~30 FPS on CPU and ~80 FPS on GPU. It demonstrates an "average accuracy (visibility) of 90%" for landmark detection. The curl counter successfully increments based on elbow angle changes. It was tested on exercises such as squats, push-ups, and lunges.

• **Potential Deployments:** Can be deployed as an AI Gym Trainer.

5. CHALLENGES AND FUTURE DIRECTIONS

Current AI-driven gym tracker systems show immense promise, but several limitations persist, paving the way for future research and design improvements.

A. Major Limitations in Current Systems

• **Technical Challenges:**

• **Accuracy of Pose Detection and Generalization:**

While significant strides have been made, achieving consistently high accuracy, especially in complex, dynamic, or compound movements (e.g., deadlifts, burpees), remains a challenge. Models also need to generalize better to various movement patterns within a class (intra-class variability) and differentiate between similar movements (inter-class similarity).

• **Real-time Processing and Latency:**
Although current systems achieve good frame rates, the demand for truly instantaneous feedback during fast-paced or high-intensity workouts requires further optimization through edge computing or more efficient algorithms to reduce latency.

• **Adaptability and Personalization:** Current feedback often relies on predefined ideal models. A major limitation is the lack of deep personalization that adapts to individual biomechanics, unique body types, fitness levels, and real-time physiological states (e.g., fatigue).

• **Robustness to Environmental Factors:** While some systems claim robustness, maintaining high accuracy across varied lighting conditions, camera angles, occlusions, and background clutter remains a general technical challenge for widespread deployment.

B. Organizational Challenges:

• **Cost of Development and Deployment:**
Although AI solutions can reduce the need for human trainers, the initial development of sophisticated AI models and integration with hardware can be costly. While not explicitly detailed, the cost and practicality of augmented reality solutions are highlighted as limitations.

• **Deployment Scalability and Integration:** While scalability to mobile apps, smart mirrors, and virtual platforms is envisioned, the actual seamless integration and optimization across diverse devices and cloudbased infrastructures require significant engineering effort.

• **Training Datasets:** Developing robust models necessitates extensive data collection and training. Obtaining diverse, high-quality, and labeled datasets for all possible exercises and user variations is resource-intensive and can lead to issues like class imbalance, affecting model performance.

C. Ethical/Regulatory Challenges:

• The provided sources do not explicitly discuss ethical or regulatory concerns such as privacy, potential for misdiagnosis/incorrect feedback leading to injury, or data ownership. These are critical considerations for the broad adoption and responsible deployment of AI fitness technologies, which would require independent verification outside these sources.

B. Novel Research Questions or Design Improvements

1. **Adaptive,MultimodalFeedback with Biofeedback Integration:**

Research Question: How can AI gym trackers implement advanced machine learning algorithms that dynamically learn and adapt to an individual user's unique biomechanics and fatigue levels (e.g., integrating heart rate variability or muscle activation data from wearables), delivering personalized corrective instructions through a multimodal feedback system combining visual overlays, auditory cues, and haptic feedback (e.g., vibrations from wearables) for more intuitive and effective real-time correction?

• **Design Improvement:** Develop a closedloop adaptive system that continuously refines ideal pose models based on individual progress and physiological responses, offering haptic signals for immediate physical guidance during deviations, thereby moving beyond generic corrections.

2. **Robust Generalization for Complex Movements in Uncontrolled Environments:**

●**Research Question:** What novel deep learning architectures (e.g., advanced 3D Convolutional Neural Networks, Transformer based models) and data augmentation strategies are most effective in extending highly accurate pose estimation and form correction to a vastly wider range of complex, dynamic, and compound exercises (e.g., Olympic lifts, gymnastics movements), ensuring robust performance across diverse, uncontrolled real-world environments with varying lighting, partial occlusions, and nonoptimal camera angles, while maintaining ultra-low latency on consumer-grade edge devices?

• **Design Improvement:** Focus on creating a synthetic data generation pipeline that simulates diverse real-world conditions and complex movement variations, combined with efficient model quantization and deployment strategies for optimized performance on mobile and embedded systems, enabling truly ubiquitous access

2. **Gamified, Social, and Explainable AI for Long-term Engagement and Trust:**

• **Research Question:** How can AI gym tracker systems integrate advanced gamification elements and social features (e.g., collaborative challenges, progress sharing with AI-driven insights) with Explainable AI (XAI) techniques to not only significantly boost user motivation and long-term adherence to fitness goals but also provide transparent, interpretable explanations for why specific posture corrections are needed, fostering user trust, deeper understanding of biomechanics, and improved self-correction capabilities?

• **Design Improvement:** Design a user interface that, upon detecting an error, can visually highlight not just the incorrect body part but also render a "ghost" image of the ideal pose alongside the user's current pose, coupled with on-screen text or audio explanations detailing the biomechanical consequence of the error and the benefit of the correction (e.g., "Straighten your back to protect your spine"). Incorporate league tables or team challenges based on consistency in form improvement rather than just rep counts.

6. CONCLUSION

There viewed papers collectively highlight the transformative potential of artificial intelligence (AI) and computer vision in revolutionizing fitness and physical training, particularly through AI-driven pose estimation and real-time exercise correction. A primary insight gained is the effectiveness of these systems in monitoring user movements, identifying common posture errors, and providing immediate, corrective feedback. This capability is crucial for enhancing exercise form, preventing injuries, and improving workout efficiency. The core of these systems relies on sophisticated computer vision techniques, predominantly utilizing OpenCV and MediaPipe for keypoint detection and tracking. MediaPipe, a framework by Google, is particularly noted for its high-fidelity real-time pose estimation, detecting up to 33 key points on the human body. The systems analyze live video feeds, map users' skeletal structures, and compare them to predefined ideal exercise models. By calculating joint angles and assessing the distance between various body parts, they can detect deviations from correct form. Feedback, often visual or auditory, guides users to make real-time adjustments. The research also explored the utility of other models like YOLOv7-pose, demonstrating how transfer learning techniques can optimize model performance without extensive retraining. Comparisons show that MediaPipe often outperforms other frameworks like YOLO, OpenPose, PoseNet, and MoveNet in terms of accuracy for single-object detection and realtime performance on lower-resolution inputs. The relevance of AI in posture correction is profoundly reaffirmed, addressing significant challenges in traditional fitness environments, such as the reliance on human trainers and limited access to personalized guidance. These AI-driven solutions offer an innovative and accessible alternative, making high-quality, individualized fitness training readily available.

The emerging impact on fitness technology is multifaceted:

• **Business Implications:** AI gym trackers open up new market segments for fitness applications, smart mirrors, and virtual fitness platforms, providing avenues for subscription based models and personalized coaching services. The ability to track progress over time by storing and analyzing workout data also creates opportunities for premium features and deeper user engagement.

• **Societal Implications:** These systems democratize access to expert fitness guidance, overcoming barriers such as financial constraints, lack of access to gym facilities, physical disabilities, and social anxiety. By preventing injuries and promoting correct form, they contribute significantly to public health and overall well-being, allowing individuals to maintain consistent fitness regimens at home.

• **Healthcare Implications:** Beyond general fitness, AI-powered posture correction has significant potential in physical therapy and rehabilitation. By precisely tracking and correcting movements, the system can assist individuals recovering from injuries, ensuring exercises are performed correctly to aid recovery and prevent re-injury.

Looking ahead, a short vision for future progress in smart fitness systems includes a move towards highly personalized, adaptive, and immersive training experiences. This involves:

• Integrating advanced deep learning models (e.g., transformers, 3D CNNs) for even greater accuracy in complex movements.

• Expanding support for a wider and more complex range of exercises, including dynamic and compound movements, and sports specific training.

• Developing hyper-personalized feedback that adapts to individual biomechanics, body types, and fitness levels.

• Seamless integration with wearable devices to provide a holistic understanding of workouts, incorporating biometric data like heart rate and caloric burn.

• Implementing advanced feedback systems, such as haptic feedback or augmented reality (AR)/virtual reality (VR) overlays, for more intuitive and immediate corrections.

• Further optimizing for enhanced real-time performance and cloud-based processing for greater accessibility and long-term data analysis.

• Incorporating gamification and social features to boost user engagement and adherence to fitness goals.

Ultimately, these advancements will lead to smart fitness systems that are not only highly effective in form correction and progress tracking but also deeply engaging, accessible, and integral to preventive healthcare and rehabilitation.

7. REFERENCES

• V. Suryawanshi, P. Hare, A. Goyal, and O. Ahire, "Gym Tracker System Using AI-Driven Pose Estimation and Real-Time Exercise Correction," International Journal for Research in Applied Science and Engineering Technology (IJRSET), vol. 12, no. 4, pp. 113–120, 2025, DOI: 10.51244/IJRSI.2025.12040113.

• K. M, N. Vithyatharshana, M. Kandala, S. Palaniswamy, and G. S. Vignesh, "AI-Based Posture Correction, Real-Time Exercise Tracking and Feedback using Pose Estimation Technique," in Conference Paper, 2024, DOI: 10.1109/CCIS63231.2024.10932054.

• H. Kotte, M. Kravc í k, and N. Duong-Trung, "Real-Time Posture Correction in Gym Exercises: A Computer Vision-Based Approach for Performance Analysis, Error Classification and Feedback," in MILeS'23: 18th European Conference on Technology Enhanced Learning (ECTEL2023), 3rd International Workshop on Multimodal Immersive Learning Systems, Aveiro, Portugal, 2023.

• V. S. P. Bhamidipati, I. Saxena, D. Saisanthiya, and M. Retnadhas, "Robust Intelligent Posture Estimation for an AI Gym Trainer using Mediapipe and OpenCV," in 2023 International Conference on Networking and Communications (ICNWC), 2023, DOI: 10.1109/ICNWC57852.2023.1012726