

Construction Equipment Monitoring: By Using Relative Important Indices (Rii) Analysis

Vishal D. Sakhare¹, Gomatesh S. Patil²

¹Assistant Professor (Dept. of Civil Engineering, DKTE's Textile & Engineering Institute, Ichalkaranji)

²Assistant Professor (Dept. of Civil Engineering, DKTE's Textile & Engineering Institute, Ichalkaranji)

Abstract - During the construction phase, selection of right equipment is a important key factor in the success of any construction project. Equipment usage will give fast and accurate results at a reduced cost. Advantage of equipment utilization includes increased rate of output, reduction in overall cost, carrying out activities that cannot be carried out manually etc. Thus proper choice and use of the equipment contributes to quality, economy, safety, speed and timely completion of the project. But the selection of most appropriate equipment from the available options is highly challenging. Therefore, this paper aims to determine a selection criteria based on the fundamental concept of sustainability and provides an assessment framework.

Key Words: selection of right equipment; Selection criteria; sustainability; assessment framework.

1. INTRODUCTION

The improper selection and use of equipment can cause excessive costs, time and injuries to labors. Time required for equipment work depends on the performance of equipment. There are various factors that can affect equipment's performance and productivity. All construction projects require different types of equipment and machineries having their own level of application. For example residential projects have a low level of equipment usage. It requires simple and traditional machines like backhoes, hauling and hoisting equipment, material handling along with pneumatic tools.

Commercial projects have moderate usage of equipment and machineries. Industrial and heavy construction projects required high utilization of machinery for carrying out mass excavation, stabilizing, compacting, asphalt paving and finishing, pipelines, railroads and many other special activities. Good equipment management in construction projects is strongly possible with the efficient utilization of equipment. the most appropriate equipment from the available options is highly challenging. Therefore, this paper aims to determine a selection criteria based on the fundamental concept of sustainability and provides an assessment framework.

1.1 OBJECTIVES

In this paper it is proposed to do the following work,

To study the equipment optimization and benefit analysis at the site through equipment production analysis

To do survey of various construction companies for their equipment management strategies on the basis of economy.

To study the different costs affecting the economy in construction.

To identify how to improve a economy of Construction equipment.

2. METHODOLOGY:

Ranking Criteria for Effective Equipment Management

In consultation with top management of organizations associated with case study and other experts and their past experience from similar kind of projects, following Relative Importance Indices (RII) were identified for analysis with respect to projects/sites. For the research undertaken, it is to be observed that feedbacks were received on a

(1 – 5) Likert scale. Therefore, use of parametric methods is not practicable and applicable for assessing preferences of the respondents so, relative importance index method was used for determining the relative importance of sustainable criteria.

Relative Importance Index (RII) is a non-parametric technique widely used by construction and facilities management researchers for analyzing structured questionnaire responses for data involving ordinal measurement of attitudes.

For this part of the questionnaire, the five-point Likert scale of 1 to 5

1 = not at all important,

2 = low important,

3 = neutral,

4 = very important

5 = extremely important

This adopted and the Relative Importance Indices (RII) for each of the sustainable criteria. Formula for finding RII for each of sustainable criteria is as follows,

$$RII = \frac{\sum W}{A \times N}$$

$$= \frac{145}{5 \times 38}$$

Where, W = weighting that is assigned to each variable by the respondent,

$$= 0.763$$

A = highest weight and

N = total number of respondents.

The RII value ranges from 0 to 1 with 0 not inclusive. It shows that higher the value of RII, more important was the sustainable criteria and vice versa. The comparison of RII with the corresponding importance level is measured from the transformation matrix as proposed by Chen et al. (2010).

2. Name of Organization- Patil-Bhagwat Developers

$$RII = \frac{W}{A \times N}$$

$$= \frac{164}{5 \times 38}$$

$$= 0.863$$

3. Name of Organization- Swati Construction

According to him, derived importance levels from RII are as follows:

$$RII = \frac{W}{A \times N}$$

$$= \frac{166}{5 \times 38}$$

$$= 0.873$$

Table -1: Importance Level from RII

High (H)	0.8 < RII < 1.0
High-Medium (H-M)	0.6 < RII < 0.8
Medium (M)	0.4 < RII < 0.6
Medium-Low (M-L)	0.2 < RII < 0.4
Low (L)	0.0 < RII < 0.2
High (H)	0.8 < RII < 1.0

Table shows the Relative Importance Index (RII) of the sustainable criteria along with the corresponding ranking and their importance level. Ratings opinions on 5-point Likert Scale on the following criteria in terms of their importance in the selection of onsite mechanical equipments and in relation to sustainable criteria.

3. ANALYSIS AND RESULTS:

Relative Importance Indices (RII)

Case study, different experts from the construction industries and their past experience from similar kind of projects, following Relative Importance Indices (RII) were identified for analysis.

Name of Organization- Sanskruti & Associates

$$RII = \frac{W}{A \times N}$$

$$= \frac{174}{5 \times 38}$$

$$= 0.915$$

1. Name of Organization- Sawant & Associates

$$RII = \frac{W}{A \times N}$$

Table -2: Relative Important Indices

Sr.No	Name of Organization	RII	Importance Level
1	Sanskriti Associates	0.915	High (H)
2	Sawant Associates	0.763	High to Medium (H-M)
3	Patil-Bhagwat Developers	0.863	High (H)
4	Swati Construction	0.873	High (H)




Chart -1: RII of sample Construction organizations.

4. CONCLUSION:

1. Only one third of the construction industries were found to have documented policies, it was found that there is a uniform practice of management among industries, which

indicates that there is a policy for management although it is not properly documented.

2. Incorrect equipment selection may directly affect to its productivity for that particular work. Eg. Excavation is generally faster for soft soil as compared to hard strata.

3. Greater angle of swing results in greater cycle time which may lead the work to delay.

4. Time saved per cycle is nothing if the operator's skill is poor.

5. The choice for equipment will vary case by case depending upon terrain, task, time of completion of project and construction cost.

REFERENCES:

1. Dushyant A. Deshmukh, Parag S. Mahatme, "Factors Affecting Performance of Excavating Equipment: An Overview" International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064 ,Volume 5 Issue 1, January 2016
2. Kunal R Ghadge¹, Ashish B Ugale² Construction Equipment Management for Construction of Dam Site International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064 ,Volume 4 Issue 5, May 2015
3. Saurabh Rajendra Kadam, Prof. Dhananjay S. Patil, "Construction Equipment Fleet Management: Case Study of Highway Construction Project" International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064,Volume 4 Issue 6, June 2015
4. Amir Tavakoli^[1] Member ASCE, Emmanuel D. Tayeand^[2], Mehmet Erkin^[3] "Equipment policy of top 400 contractors: Survey", Journal of Construction Engineering and Management, Vol. 115, No. 2, June, 1989
5. Aviad Shapira and Marat Goldenberg, Soft considerations in equipment selection for building construction projects. Journal of Construction Engineering and Management, Vol. 133, No. 10, October 1, 2007
6. Fadi A. Kara^[1]and Anas Y. Nasr^[2] ,Resource management in construction Journal of Construction Engineering, Vol. 112, No. 3 September 1986
7. Govindan Kannan (Field studies in construction equipment economics and productivity)[(ASCE) CO.1943-7862.0000335. © 2011 American Society of Civil Engineers].
8. Kjell B. Zandin: "Maynard's Industrial Engineering Handbook, Fifth Edition contributors. Total Productive Maintenance chapter", McGraw-Hill Professional, 2001
9. Michael C. Vorster [1] Member, ASCE and Jesus M. De Galarza^[2] "Consequential equipment costs associated with lack of availability and downtime", Journal of Construction Engineering and Management, Vol. 116, No.4 December, 1990.
10. Nizar Markiz, Ahmad JRADE "A decision-support model utilizing a linear cost optimization approach for heavy equipment selection", International Journal of Structronics & Mechatronics, Manuscript No: I12725-06, 3 July, 2012
11. M. Waris^[1], Mohd. Shahir Liew^[2], Mohd. Faris Khamidi^[3], Arazi Idrus^[4] "Criteria for the selection of sustainable onsite construction equipment", Gulf Organisation for R & D , International Journal of Sustainable Built Environment 17 June 2014
12. Douglas Gransberg, Calin M. Popescu, Richard C. Ryan. (Construction equipment management for engineers, estimators, and owners by ISBN 0-8493-4037-3).
13. David I. Cleland; Roland Gareis : (Global Project Management Handbook: Planning, Organizing, and Controlling International Projects, Second Edition
14. Contributors. Japanese project management practices on global projects, Chapter (McGraw-Hill Professional, 2006 1994)