

Global warming by specific heat of materials

M.Sekar

(Coimbatore Institute of Technology)

Abstract: In this paper, global warming of earth is deeply analyzed with related to specific heat of material. Modernization of the world is major contribution to the global warming. Modernization Includes construction of huge buildings, Use of metals, Laying roads, deforesting, Co2 release & population.

Key words

Specific heat, global warming, Modernization, heat, occupied

1. Introduction

Please save the earth by understanding the global warming.
Amount of heat required to rise a degree of temperature in a material is called specific heat of material. I start with simple examples, if you have a steel & wooden plate with a heater placed between both. Which one rise more temperature, obviously steel rise more temperature than wood.
This is how we are replacing the materials in the world which causes global warming.

1.1 Construction of more buildings

Average house area -460m² (including 4sides and top)
In our village 60 new houses increased in last 25years
In India there are 6,48,802 villages and 100 cities.
So average of 2,98,494 Sq.Km area of houses increased.
Previously these new houses place occupied by air.
Now amount of heat required to rise temperature of building(concrete)(0.88j/g K) is less than air(1.012 j/g K)
There by global warming is increased.

1.2.Extraction & exposing of metals to the atmosphere

Examples: buses,cars,two wheelers, steel bridges, all utensil
Previously these metals(iron, aluminum etc) place occupied by air.
Now amount of heat required to rise temperature of steel(0.45j/g K) is less than air(1.012 j/g K)
There by global warming is increased

1.3.Laying roads

Previously these Roads place occupied by tree.
Now amount of heat required to rise temperature of road(0.92j/g K) is less than tree(1.7j/g K)
There by global warming is increased

1.4.Deforesting

Previously these air & sand place occupied by tree.
Now amount of heat required to rise temperature of air(1.012j/g K) is less than tree(1.7j/g K)
There by global warming is increased

1.5.CO₂(carbon dioxide)

Previously these CO₂ place occupied by air.

Now amount of heat required to rise temperature of CO₂(0.839j/g K) is less than Air(1.012j/g K)

There by global warming is increased

1.6.Human population(body)

Previously these human body place occupied by air.

Now amount of heat required to rise temperature of human(3.5j/g K) is greater than Air(1.012j/g K)

There by global warming is decreased

The above statement shows clearly many factors increases global warming except human body which is very small.

So far we have seen the causes for global warming.

Now

2.Remedies for global warming.

- 1.Link all the rivers to maximize the water area(water has high capacity to retained heat).
- 2.Minimize construction of buildings.
- 3.Minimize the usage of metals.
- 4.More in plant of trees.
- 5.Minimize the release of CO₂.

3. Conclusion

Replacing of lower specific heat material in the world is causes for the global warming. Exchange of materials In Modernization.

References

- [1]International Union of Pure and Applied Chemistry, Physical Chemistry Division. "Quantities, Units and Symbols in Physical Chemistry"(http://old.iupac.org/publications/books/gbook/green_book_2ed.pdf). Blackwell Sciences. p. 7. . "The adjective specific before the name of an extensive quantity is often used to mean divided by mass."
- [2]International Bureau of Weights and Measures (2006), *The International System of Units (SI)*(http://www.bipm.org/utlis/common/pdf/si_brochure_8_en.pdf) (8th ed.), ISBN 92-822-2213-6,
- [3]Fraundorf, P. (2003). "Heat capacity in bits". *American Journal of Physics*71: 1142. doi:10.1119/1.1593658. (arXiv:cond-mat/9711074(http://arxiv.org/abs/cond-mat/9711074))
- [4]See eg, Wallace, David. "Gravity, entropy, and cosmology: in search of clarity" (http://philsci-archive.pitt.edu/archive/00004744/01/gravent_archive.pdf). *British Journal for the Philosophy of Science*. . Section 4 and onwards.
- [5]Reif, F. (1965). *Fundamentals of statistical and thermal physics*. McGraw-Hill. pp. 253–254. ISBN 07-051800-9.
- [6]Charles Kittel; Herbert Kroemer (2000). *Thermal physics*. Freeman. pp. 78. ISBN 0716710889.
- [7]http://upload.wikimedia.org/wikipedia/commons/6/6d/Translational_motion.gif
- [8]Smith, C. G. (2008). *Quantum Physics and the Physics of large systems, Part 1A Physics*. University of Cambridge.
- [9]"Discussion of heat capacity of solids in terms of degrees of freedom" (http://ruelle.phys.unsw.edu.au/~gary/Site/PHYS3020_files/SM3_6.pdf) (PDF). .
- [10]Hogan, C. (1969). "Density of States of an Insulating Ferromagnetic Alloy". *Physical Review*188: 870. doi:10.1103/PhysRev.188.870.
- [11]Young; Geller (2008). *Young and Geller College Physics* (8th ed.). Pearson Education. ISBN 0805392181.
- [12]Ojovan, M. I. (2008). "Configurons: thermodynamic parameters and symmetry changes at glass transition" (http://www.mdpi.org/entropy/papers/e10030334.pdf) (PDF). *Entropy*10: 334–

364. doi:10.3390/e10030334. .

[13]Ojovan, Michael I. (2008). "Viscosity and Glass Transition in Amorphous Oxides". *Advances in Condensed Matter Physics*2008: 1.doi:10.1155/2008/817829.

[14]Page 183 in: Cornelius, Flemming (2008). *Medical biophysics* (6th ed.). ISBN 1402071108. (also giving a density of 1.06 kg/L)

[15]"Table of Specific Heats" (<http://hyperphysics.phy-astr.gsu.edu/hbase/tables/sphtt.html#c1>). .

[16]"Materials Properties Handbook" (<http://fusionnet.seas.ucla.edu/input/PDF/1997 - Iter Material Properties Handbook - volAR01-3108 -no1 - p1-4.pdf>). .

[17]Crawford, R. J.. *Rotational molding of plastics*. ISBN 1591241928.

[18]Faber, P.; Garby, L. (1995). "Fat content affects heat capacity: a study in mice". *Acta Physiologica Scandinavica*153 (2): 185.doi:10.1111/j.1748-1716.1995.tb09850.x. PMID 7778459.

[19]Indian Institute for human settlement, Urban India 2011 evidence 3rd edition