

# Friend Recommendation System using Machine Learning Algorithms: A Survey Paper

Khushboo Dawada<sup>1</sup>, Asst.Prof. Saket J Swarndeeep<sup>2</sup>

<sup>1</sup>Department of computer Engineering, L.J Institute of Engineering & Technology (Gujarat Technology University), Ahmedabad, Gujarat, India

<sup>2</sup>Professor, L.J Institute of Engineering & Technology (Gujarat Technology University), Ahmedabad, Gujarat, India.

\*\*\*

**Abstract** - Recommender systems are an important research area due to the various expansion possibilities that enhance the quality of the recommendations. In this paper we try to recommendation of friend on social network which friend's recommendation friends to user based on their interest, their life style their status, their work and their activity on base social account like location, hast tag, challenges. here in our proposed access, we are applying machine learning technique like clustering technique and KNN technique with collaboration clarification algorithm to get added accurateness in the results.

**Key Words:** friend recommendation system-Collaboration filtering-KNN-K-means.

## 1. INTRODUCTION

Machine learning is concerned with computer program that automatically improve their performance through experience. Machine learning is the study of computer system that learn from data and experience. In machine learning 4 type of learning categories are used i.e. Supervised learning, unsupervised learning, semi-supervised learning, Reinforcement learning. This category has many types of Techniques like classification, clustering, regression. Recommender systems are an important class of machine learning algorithms that offer "relevant" suggestions to users. Categorized as either collaborative filtering or a content-based system.

### 1.1 CLUSTERING

Clustering is the process of making a group of abstract objects into classes of similar objects. K-means clustering: k-means is one of the simplest unsupervised learning algorithms that solve the well-known clustering problem.

### 1.2 RECOMMENDATION

Recommender systems are an important class of machine learning algorithms that offer "relevant" suggestions to users. Categorized as either collaborative filtering or a content-based system. Recommender system, an information filtering technology used in many items is presented in web sites as per the interest of users, and is implemented in applications like movies, music, venue, books, research

articles, tourism and social media in general. In the present scenario, people are not willing to spend a lot of time to specify their personal needs. So a system is needed which automatically suggest personalized things to users. The applications of recommender systems include recommending movies, music, television programs, books, documents, websites, conferences, tourism scenic spots and learning materials, and involve the areas of e-commerce, e-learning, e-library, e-government and e-business services.

## 2. LITERATURE REVIEW

Friend recommendation is one of a lot of accepted characteristics of amusing arrangement platforms, which recommends agnate or accustomed humans to users.in this paper friend recommendation is use machine learning algorithms. For recommendation of friend in system. Here in proposed access, are applying hierarchical clustering technique with the collaboration clarification advocacy as well the principle component analysis adjustment is activated for abbreviation the ambit of abstracts to get added accurateness in the results. The Hierarchical cluster will suit more significant eventual outcomes in purposeful anecdote to the k-means cluster, as pronounced that in the various levelled cluster there is no charge to discover the measure of bunches at the alpha of the cluster and the PCA will be adjusted as the ambit edited version procedure to reduce the scope of the information. In the PCA on the dataset up to giving it as credit and a short time later tolerating the curve contraption this is acclimated as an attribute to the various levelled cluster and community explanation calculation will right off the bat achieve the PCA and a short time later that the variouslevelledclusteris actuated and the last suggestions are made [5].

In this paper we are using latent Dirichlet allocation for recommendation system. Here designed a friend recommendation approach combining interest-based features and interaction-based topologies with liner time complexity. In this paper, Chinese micro-blogging is referred to as the study platform. There are many common words in the text corpora of micro-blogs, such as modal particles, auxiliary verbs, and interjections. The recommended friends should be those who not only share a large number of common interests with the target user but are also the influential ones in the related fields. Consequently, we only

needed to keep the records of individuals with a relatively large impact in the descending order on each topic for identifying potential candidates with similar inclinations. Characterizing the users' existing social relationships as 1-hop social ties, we located the potential friends with graph approximation by exploiting 2-hop social chains, i.e., friends-of-friends. The current design of the proposed method takes into account only the semantic similarities and the "following" relationships among users in a social network, leaving several aspects to be improved in the future.<sup>[2]</sup>

With the development of HCC, recommendation has become common in social networks. Information available in recommendation system is also increasing. The mode of man-machine collaborative work has become more and more popular. A recommendation based on trust is an important human-computer interaction recommendation application in a social network and previous studies generally assume that the trust value between users is static, unable to respond to the dynamic changes of user trust and preferences in a timely manner. Based on the dynamics of trust and the changing process of trust between users, this paper proposes a trust boost method through reinforcement learning. Recursive least squares (RLS) algorithm is used to learn the dynamic impact of evaluation difference on user's trust. In addition, a reinforcement learning method Deep Q-Learning (DQN) is studied to simulate the process of learning user's preferences and boosting trust value. In general, most methods focus on the propagation of trust and trust recommendation systems. They treat trust values as static and immutable parameters, which makes it impossible for the recommendation system to make better user-centered personalized recommendation. This method has better accuracy on recommendation.<sup>[3]</sup>

In this paper, for friend recommendation with using machine learning techniques like SVM and also use binary classification. The user-location and user-user information in location based social network are both too sparse which contributes to a big challenge for recommendation. A new multi-feature SVM based friend recommendation model (MF-SVM) is proposed which regarded as a binary classification problem to tackle this challenge. Here three features of each user by new methods respectively. Then the social feature is extracted by considering the diversity of common friends. After that a new topic model improved by LDA is proposed which both considers user reviews and corresponding service description to extract textual feature. On real-world datasets demonstrate that the proposed method in this paper outperforms the state-of-art friend recommendation methods under different types of evaluation metrics.<sup>[4]</sup>

In this paper, recommendation they are using association rules mining and clustering and collaboration filtering for friend recommendation. The recommender systems are recently becoming more significant in the age of rapid development of the Internet technology due to their ability

in making a decision to users on appropriate choices. CF may lead to the poor recommendation when user ratings on items are very sparse in comparison with the huge number of users and items in user-item matrix. To overcome this problem, this research applies the users' implicit interaction records with items to efficiently process massive data by employing association rules mining. S, a modified pre-processing is implemented to discover similar interest patterns among users based on multiple purchases done. In addition, the clustering technique has been employed in our technique to reduce the size of data and dimensionality of the item space as the performance of association rules mining. The experiments were conducted and the results were compared with basic CF and other extended version of CF techniques including K-Means clustering, hybrid representation, and probabilistic learning by using public dataset, namely, Million Song dataset. The experimental results demonstrated that our technique achieves the better performance when compared to the basic CF and other extended version of CF techniques in terms of Precision, recall metrics, even when the data is very sparse.<sup>[1]</sup>

### 3. PROBLEM STATEMENT

As per research paper we show that many different algorithms are used for recommendation for user. They give recommendation base on different algorithm like PCA, hierarchical clustering, SVM, recursive least squares, LDA. So, our problem is that the accuracy is shorten improving 86.5% we can use different algorithms to improve accuracy.

### 4. PROPOSED SYSTEM

**Following are the stages of the above proposed System:**

State 1: Dataset

Input dataset from Kaggle.

State 2: Preprocessing data

In this state we are remove extra data and empty space and ready data for next step.

State 3: Collaboration filtering

Data create base on collaboration filtering.

State 4: K-Means Clustering

In this state create clusters for similar friend.

State 5: KNN Algorithm

In this step check user profile for similarities.

State 6: Prediction

Assign highest priority to user and arrange in descending order and see the result of recommendation.




Fig: 1-Proposed system

## 5. CONCLUSIONS

Apply machine learning techniques on the data Maximum Analysis for More Accuracy. We Proposed Model That Applies collaboration filtering, KNN and K-means Algorithms Friend similarly accurately and Predict the Type of More Accurate friends. These Techniques Have Been Analyzed and Integrated for Friend recommendation. With The Help of these Techniques We Derive the Statistical Model For friend recommendation. By Using Mentioned Techniques in the Proposed System Will Definitely Help in Better Prediction Of friend recommendation And Providing Higher Accuracy.

## 6. REFERENCES

1) Maryam Khanian Najafabadi\*, Mohd Naz'ri Mahrin, Suriyati Chuprat, Haslina Md Sarkan et al. "Improving the accuracy of collaborative filtering recommendations using clustering and association rules mining on implicit data". Computers in Human Behavior 67 (2017) 113e128

2)Mingqing Huanga, Bofeng Zhanga, et al. "Friend Recommendation in Online Social Networks Combining Interest Similarity and Social Interaction". School of Computer Engineering and Science, Shanghai University Shanghai 200444, China

3)Qi et al. EURASIP Journal on Wireless Communications and Networking(2019) 2019:280et al. "Personalized project recommendations: using reinforcement learning". Faxin Qi1, Xiangrong Tong1\*, Lei Yu1,2 and Yingjie Wang1

4)Xin Mingjun, Wu Lijun et al. "Using multi-features to partition users for friends recommendation in location based social network". School of Computer Engineering and Science, Shanghai University, Shanghai, 200444, China.

5) Vaibhav Kothari, Nitin Namdevet al. "Friend Recommendation using Unsupervised Machine Learning". International Journal of Innovative Technology and Exploring Engineering (IJITEE) ISSN: 2278-3075, Volume-9 Issue-8, June 2020

6)Tofik R. Kacchi, Prof. Anil V. Deorankar ET AL "Friend Recommendation System based on Lifestyles of Users". International Conference on Advances in Electrical, Electronics, Information, Communication and Bio-Informatics (AEEICB16)

7)Namrata M.Eklaspur [1], Anand S.Pashupatimath [2] et al "A Friend Recommender System for Social Networks by Life Style Extraction Using Probabilistic Method -"Friendtome"", International Journal of Computer Science Trends and Technology (IJCST) - Volume 3 Issue 3, May-June 2015.

8)QIAO Xiuquanl\*, SU Jianchong et al "Recommending Friends Instantly in Location-based Mobile Social Networks". China Communications · February 2014

9)Pooja Tasgave and Ajay Dani et al "Friend-Space: Cluster-Based Users Similar Post Friend Recommendation Technique In Social Networks ". 2015 International Conference on Information Processing (ICIP) Vishwakarma Institute of Technology. Dec 16-19, 2015 .

10)Bushra Alhijawi et al "Improving collaborative filtering recommender system results and performance using satisfaction degree and emotions of users". Web Intelligence 17 (2019) 229-241.