Volume: 07 Issue: 06 | June 2020

www.irjet.net

CHILD MONITORING SYSTEM

ROOPESH P¹, SAI PRASHANTH CH², SIVAKUMAR K³

^{1,2}UG Scholars, Department of Computer Science and Engineering, Sri Chandrasekharendra Saraswathi Viswa Mahavidyalaya, Kancheepuram, Tamil Nadu, India

³Assistant Professor, Department of Computer Science and Engineering, Sri Chandrasekharendra Saraswathi Viswa Mahavidyalaya, Kancheepuram, Tamil Nadu, India ***______

ABSTRACT- These Days parents are worried about their children's so they want a complete track of them and monitor them all the time, This is physically not possible so we introduce Safety Monitoring system which is helpful for monitoring or tracking the child and their activities from anywhere in the world. The major issue of child missing can be solved with the help of child tracking system as well as parents who need to keep a track of their every steps, this system plays a vital role. The android application utilizes GPS and communication administrations to find their tyke's area. This application secretly retrieves all the Call Logs, Message Details, Contact list, browsing histories which includes YouTube search histories and accurate Location without the children's permission or without their

I. INTRODUCTION

In today's world, over 80% of the world population, including children around the age of eight or seven, owns smart phones [1]. This is due to many reasons. One of them is the exceptional highlights and capacities that new advanced mobile phones offer particularly android based PDAs. With that numerous highlights, the requirement for clever applications rises. As we would see it, GPS offers exceptional capacities in finding position and this can be utilized to create ingenious application that helps in finding absent or lost youngsters. Studies led by Cyber Travel Tips [2] demonstrated that in Malaysia, missing kids are fundamentally ordered into two classifications. The primary class is vanishing, which incorporates fleeing from home. The other class is snatching or hijacking. Insights uncover that since 2004, an aggregate of 5,996 kids younger than 18 disappeared from their homes. Fortunately, around 4092 youths returned home or found by the police. Nonetheless, the other 1,904 kids are as yet absent. Those children are young fellows and young women with ages between 14 years and 17 years. Likewise, when watchmen need to go family trip, they for the most part stress over their youths' prosperity. Even worst, parents can lose sight of their children and fear the possibly of kidnapping or worst for them and aimed to help locating missing or lost children. It takes advantage of the fact that many of today's children bring smart phones which is convenient for this kind of situation. In this work, GPS is combined with one of the basic service of a smart knowledge as this application runs is in background and the major advantage of this feature is, if child reboots the Mobile phone the background process starts as the reboot is complete, so the process is never ending. This application sends all the data from the child's phone to the server and from the server to the parent's phone in every 10 minutes interval. This application is divided into 2 Apps, one is for the parent where they can see all the activities of their children and other is the Child Part, where the child can only see a calculator while the data is been fetched in the background without child's knowledge.

Keywords— Child monitoring application (CMA).

phone which is GSM, more specifically SMS, in one system. An application at the parent side will enable guardians to send an area demand to a youngster side at that point recover the area from the demand answer and shows it on a guide. Then again, the application at the kid's side assembles the fundamental data of the advanced cell that will be utilized to find the PDA. Information such as GPS coordinates and time are gathered and sent to the parent smart phone that's preregistered on the application. The correspondence between the parent and the kid applications is finished utilizing Short Message Service (SMS).SMS offers the system unique features. It will allow the system to work without the need of internet connection thus allows the application to be implemented on smart phones that don't support GPRS, 2G or 3G internet connectivity. The system sends the location of child's smart phone to parent's smart.

II. LITERATURE REVIEW

Lydia Plowman, ^[1] This paper makes a contribution to our understanding of research in home environments by attracting consideration regarding the shortage of research that gives full record of youngsters' observations and encounters with regards to innovation in the home. It describes a study of 3- and 4-year-old children's play and learning with toys and technologies in family settings and how an eco-cultural approach was enlisted as a framework for understanding the home's unique mix of inhabitants, learning opportunities and resources. Techniques that are good with such a methodology are examined as far as how



Volume: 07 Issue: 06 | June 2020

www.irjet.net

we settled on choices about the sorts of information that can assist us with understanding progressively about family connections and exercises and, thusly, about youngsters' learning. The system additionally offered shape to our elucidations of the information, empowering us to light up the complex of practices, qualities and frames of mind and their crossing points with innovation. It finishes up by theorizing on a portion of the reasons why youngsters appear to be missing from numerous investigations of innovation in regular day to day existence and proposing a portion of the manners by which this might be helped.

Aude G. Billard Member, ^[2] We report on the study of conducted on children with gazes, pervasive developmental disorders (PDD), by using a novel headmounted eve-tracking device called the Wear Cam Because of the convenient idea of the Wear Cam, we can screen naturalistic associations between the youngsters and grown-ups. The examination included a gathering of 3 to multi year-old youngsters (n=13) with PDD contrasted with a gathering of regularly creating (TD) kids (n=13) somewhere in the range of 2 and 6-years of age. We found huge contrasts between the two gatherings, regarding the extent and the recurrence of scenes of straightforwardly taking a gander at countenances amid the entire arrangement of examinations.

Taciana Pontual Falcão, ^[3] Intellectual disabilities cause significant sub-average achievement in learning, which, from a socio constructionist perspective, can be addressed by using adequate tools. Unmistakable innovations are viewed as especially encouraging instruments to assist youngsters with scholarly inabilities, by empowering available communication through physical control, related to advanced portrayals. Nonetheless, the field needs centered examinations, as beginning exploration needs to date delivered generally nonexclusive outcomes. This article presents exact investigations where youngsters with scholarly inabilities cooperated with four unmistakable frameworks. Examination concentrated on kids' impression of affordances and portrayal modalities. Results demonstrated the transcendence of physical portrayals over computerized, and the significance of educational criticism to maintain a strategic distance from misguided judgments from saw physical affordances.

Ellen W. McGinnis, Ryan S. McGinnis,^[4] Fleeting periods of risk reaction including Potential Threat(Anxiety), Acute Threat (Startle, Fear), and Post-danger Response Modulation have been distinguished as basic markers of uneasiness issue. Objective measures of response during these phases may help identify children at risk for anxiety, however the complexity of current assessment techniques prevent their adoption in many research and clinical

contexts. We propose an elective innovation, an inertial estimation unit (IMU), that empowers non-obtrusive estimation of the developments related with danger reaction, and test its capacity to distinguish danger reaction stages in youthful youngsters at uplifted hazard for creating tension. We measured the movement of 18 kids (3-7 years of age) amid a nervousness/dread inciting conduct assignment utilizing an IMU. In particular, estimations from a solitary IMU verified to the kid's midsection were utilized to extricate root-mean-square increasing speed and rakish speed in the event and vertical headings, and tilt and yaw scope of-movement amid every danger reaction stage. IMU estimations recognized expected contrasts in youngster movement by risk stage. Also, potential danger movement was decidedly connected to familial uneasiness chance, surprise scope of movement was emphatically corresponded with kid disguising manifestations, and reaction regulation movement was contrarily related to familial tension hazard. Results propose differential hypothesis driven danger reaction stages, and bolster past writing interfacing maternal youngster hazard to uneasiness with conduct estimates utilizing progressively possible target techniques. This is the primary investigation showing the utility of an IMU for describing the movement of youthful kids to stamp the periods of risk reaction tweak. The procedure gives novel and target proportion of risk reaction for emotional wellbeing analysts.

Zhi Zheng, Student Member, IEEE, Qiang Fu, Huan Zhao, Amy Swanson, Amy S. Weitlauf, Zachary E. Warren, and Nilanjan Sarkar, SeniorMember,^[5] Social correspondence is among the center regions of weakness for kids with Autism Spectrum Disorders (ASD). The preparation of social introduction is vital for improving social correspondence of kids with ASD. As of late, innovation helped ASD mediation had picked up energy because of its potential points of interest as far as accuracy, manageability, adaptability and cost. In this paper, we propose a closed-loop autonomous computer system, named SOTS, for training social orientation skills to young children with ASD. This framework is intended to recognize and follow a tyke's consideration because of social introduction offers and help the youngster towards fitting social introduction when required. Reaction to name, an imperative social introduction ability, was utilized to exhibit the usefulness of the proposed framework. Ten toddlers with AS participated in a pilot user study to show whether the system could be used on voung children who have been diagnosed with ASD. Another pilot client think about with10 TD babies tried whether this framework can possibly be connected for early recognition for newborn children who were more youthful than the age when ASD determinations should be possible. This was done purposefully to independently




exhibit utility and usefulness for the clinical populace of intrigue and to show usefulness past current clinical ID limit (i.e., newborn children). The outcomes demonstrated that the proposed framework and the convention were very much endured by the two gatherings, effectively caught youthful youngsters' consideration, and evoked the ideal conduct.

III. PROPOSED SYSTEM

The proposed framework depends just on two primary administrations, communication and area, therefore wiping out the requirement for web association or a committed server. At last, as any product item or configuration, there is still space for improvement. Highlights can be added to improve the framework, for example, crisis cautions and numerous others. The proposed framework will be actualized, proceeded, looked into and improved in a later work. The application is utilized to follow the Child's area as well as call logs, messages and contact from their cell phone. Purpose behind picking android OS is that to target more clients. The adaptable application uses the GPS and SMS organizations found in Android phones. It empowers the parent to get their tykes region on a consistent manage. The structure contains opposite sides, kid side and parent side. A guardians contraption essential commitment is to send an interest region SMS to the children device to get the zone of the child. On the other hand, the children device essential obligation is to answer the GPS position to the guardian's device upon interest.

IV. ARCHITECTURE DIAGRAM



V. MODULES

1. Location Tracking Using GPS:

A GPS following unit is a route gadget ordinarily conveyed by a moving vehicle or individual that utilizes the Global Positioning System (GPS) to follow the gadget's developments and decide its area. The recorded area information can either be put away inside the following unit.

Home Page:



User Information:

3	v Parent Regist	nattion
Name		
Username		
Password	1	1
Children Us	sername	
Children	Password	
Emergency	Alert Number	
E-Mail-ID		
Address		

2. Cellular Identification:

This application secure child will be very helpful to such worried parents and assures them the safety of the children. In this module, application which will take care of your child information gathered while the child is travelling to wherever GPS reading is used for tracking.

User Login:



3. Gathering Browsing History:

A Browsing History allows you to watch the browsing history of all user profiles in a running mobile, as well as to get the browsing history. In this module, all the browsing history of the child will be gathered.

🔮 eMonitoring	I
Welcome : geetha Mobile Number : 7598492789	
GPS Tracking	
Start Browsing	
Signout	
Logistic Stored Sciences (10)	

4. Send Notification to Parents:

In this module, child information gathered to send a message to all connected parents. Then, the parents identify to child location details

Notification:

Welc	ome : geetha	
	7598492789	
	Children's Direction Monitoring	
X : 0.0	Y: 2.0119781 Z: 10.622177 Direction : Forward	
	Present Location Details	
Long	ude : 10.378378378378379 itude : 78.83939973443539 ikkattalal	
	Spot the Location on Map	
	Emergency Alert	
-		
-		

V. CONCLUSION

It is concluded that the system is reasoned that the framework is to gives youngsters security to the parents. This work is intended for guardians and kids. Both must have an advanced mobile phone that bolsters GPS and SMS as a base. SMS is a fundamental administration on any advanced cells yet GPS can be found on new PDAs. This application is for the most part to be utilized by guardians to find the youngster's area and guarantee their versatile utilization to identify undesirable activity on the portable. The application is utilized to follow the Child's area as well as call logs, messages and contact from their cell phone. Purpose behind picking android OS is that to target more clients. The kids perusing history will be appeared to their parents.

VI. FUTURE ENHANCEMENTS

At long last, similar to any product item or configuration, there is still space for improvement. Highlights can be added to upgrade the framework, for example, Geofencing, crisis cautions and numerous others. The IMEI number parameter can be added to this system make it more efficient .The proposed system will be implemented, continued, reviewed and improved in a later work.

VII. REFERENCES

[1] S. Cartwright-Hatton, K. McNicol, and E. Doubleday, "Anxiety in a neglected population: prevalence of anxiety disorders in pre-adolescent children," Clin. Psychol. Rev., vol. 26, no. 7, pp. 817–833, Nov. 2006.

[2]J. L. Luby, "Preschool Depression: The Importance of Identification of Depression Early in Development," Curr. Dir. Psychol. Sci., vol. 19, no. 2, pp. 91–95, May 2010.

[3] J. Garber and K. M. Kaminski, "Laboratory and performance-based measures of depression in children and adolescents," J. Clin. Child Psychol., vol. 29, no. 4, pp. 509–525, Dec. 2000.

[4] D.J.Kolko andA.E.Kazdin, "Emotional/behavioral problems in clinic and nonclinic children: correspondence among child, parent and teacher reports," J. Child Psychol. Psychiatry, vol. 34, no. 6, pp. 991–1006, Sep. 1993.

[5] "National Institute of Mental Health (NIMH)," NIMH Research Domain Criteria (RDoC).

[6] J. J. Gross, "Emotion regulation: affective, cognitive, and social consequences," Psychophysiology, vol. 39, no. 3, pp. 281–291, May 2002.

[7] A. M. Waters, M. G. Craske, R. L. Bergman, B. D. Naliboff, H. Negoro, and E.M. Ornitz, "Developmental changes in startle reactivity in school-age children at risk for and with actual anxiety disorder," Int. J. Psychophysiology. Off. J. Int. Organ. Psychophysiology., vol. 70, no. 3, pp. 158–164, Dec. 2008.

[8] A. Kujawa, C. R. Glenn, G. Hajcak, and D. N. Klein, "Affective modulation of the startle response among children at high and low risk for anxiety disorders," Psychol. Med., vol. 45, no. 12, pp. 2647–2656, Sep. 2015.

[9] M. J. Bakker, M. A. J. Tijssen, J. N. van der Meer, J. H. T. M. Koelman, and F. Boer, "Increased whole-body auditory startle reflex and autonomic reactivity in children with anxiety disorders," J. Psychiatry Neurosis. JPN, vol. 34, no. 4, pp. 314–322, Jul. 2009.

[10] M. W. Vasey and C. J. Lonigan, "Considering the clinical utility of performance-based measures of childhood anxiety," J. Clin. Child Psychol., vol. 29, no. 4, pp. 493–508, 2000.

[11] J. R. Gagne, C. A. Van Hulle, N. Aksan, M. J. Essex, and H. H. Goldsmith, "Deriving childhood temperament measures from emotion-eliciting behavioral episodes: Scale construction and initial validation.," Psychol. Assess., vol. 23, no. 2, p. 337, 2011.

[12] C. E. Durbin, "Validity of young children's selfreports of their emotion in response to structured laboratory tasks," Emot. Wash. DC, vol. 10, no. 4, pp. 519–535, Aug. 2010.

[13] Developmental Disabilities Monitoring Network Surveillance Year and 2010 Principle Investigators, "Prevalence of autism spectrum disorder among children aged 8 years-autism and developmental disabilities monitoring network, 11 sites, United States, 2010," Morbidity and mortality weekly report. Surveillance summaries (Washington, DC: 2002), vol. 63, p. 1, 2014.

[14] A. P. Association, The Diagnostic and Statistical Manual of Mental Disorders: DSM 5: bookpointUS, 2013.

[15] G. Peacock, D. Amendah, L. Ouyang, and S. D. Grosse, "Autism spectrum disorders and health care

expenditures: the effects of co-occurring conditions," Journal of Developmental & Behavioral Pediatrics, vol. 33, pp. 2-8, 2012.

[16] Z. Warren, M. L. McPheeters, N. Sathe, J. H. Foss-Feig, A. Glasser, and J. Veenstra-VanderWeele, "A systematic review of early intensive intervention for autism spectrum disorders," Pediatrics, vol. 127, pp. e1303-e1311, 2011.

[17] M. Al-Qabandi, J. W. Gorter, and P. Rosenbaum, "Early autism detection: Are we ready for routine screening?," Pediatrics, vol. 128, pp. e211-e217, 2011.

[18] Z. Zheng, S. Das, E. M. Young, A. Swanson, Z. Warren, and N. Sarkar, "Autonomous robot-mediated imitation learning for children with autism," in Robotics and Automation (ICRA), 2014 IEEE International Conference on, 2014, pp. 2707-2712.

[19] E. T. Bekele, U. Lahiri, A. R. Swanson, J. A. Crittendon, Z. E. Warren, and N. Sarkar, "A step towards developing adaptive robot-mediated intervention architecture (ARIA) for children with autism," Neural Systems and Rehabilitation Engineering, IEEE Transactions on, vol. 21, pp. 289-299, 2013.

[20] A. Duquette, F. Michaud, and H. Mercier, "Exploring the use of a mobile robot as an imitation agent with children with low-functioning autism," Autonomous Robots, vol. 24, pp. 147-157, 2008.

[21] Z. Zheng, L. Zhang, E. Bekele, A. Swanson, J. A. Crittendon, Z. Warren, et al., "Impact of robotmediated interaction system on joint attention skills for children with autism," in IEEE... International Conference on Rehabilitation Robotics:[proceedings], 2013, pp. 1-8.

[22] C.-M. Huang and A. L. Thomaz, "Effects of responding to, initiating and ensuring joint attention in human-robot interaction," in RO-MAN, 2011 IEEE, 2011, pp. 65-71.

[23] U. Lahiri, E. Bekele, E. Dohrmann, Z. Warren, and N. Sarkar, "Design of a virtual reality based adaptive response technology for children with autism spectrum disorder," in Affective Computing and Intelligent Interaction, ed: Springer, 2011, pp. 165-174. [24] D. J. Feil-Seifer and M. J. Matarić, "A Simon-Says Robot Providing Autonomous Imitation Feedback Using Graded Cueing," in International Meeting for Autism Research (IMFAR), ed, 2012.

[25] J. Greczek, A. Atrash, and M. Matarić, "A Computational Model of Graded Cueing: Robots Encouraging Behavior Change," in HCI International 2013-Posters' Extended Abstracts, ed: Springer, 2013, pp. 582-586.

[26] G. Dawson, K. Toth, R. Abbott, J. Osterling, J. Munson, A. Estes, et al., "Early social attention impairments in autism: social orienting, joint attention, and attention to distress," Developmental psychology, vol. 40, p. 271, 2004.

[27] G. Dawson, A. N. Meltzoff, J. Osterling, and J. Rinaldi, "Neuropsychological correlates of early symptoms of autism," Child development, vol. 69, pp. 1276-1285, 1998.

[28] C. P. Johnson and S. M. Myers, "Identification and evaluation of children with autism spectrum disorders," Pediatrics, vol. 120, pp. 1183-1215, 2007.

[29] C. Lord, M. Rutter, P. DiLavore, S. Risi, K. Gotham, and S. Bishop, "Autism Diagnostic Observation Schedule–2nd edition (ADOS-2)," ed: Western Psychological Services: Torrance, CA, 2012.